

A PRACTICAL GUIDE TO FEDORA™ AND RED HAT® ENTERPRISE LINUX®

SEVENTH EDITION

**LAB MANUAL
INSTRUCTOR VERSION (INCLUDES ANSWERS)**

RELEASE 1.0

MARK G. SOBELL



**PRENTICE
HALL**

Upper Saddle River, NJ • Boston • Indianapolis • San Francisco
New York • Toronto • Montreal • London • Munich • Paris • Madrid
Capetown • Sydney • Tokyo • Singapore • Mexico City

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and the publisher was aware of a trademark claim, the designations have been printed with initial capital letters or in all capitals.

The author and publisher have taken care in the preparation of this book, but make no expressed or implied warranty of any kind and assume no responsibility for errors or omissions. No liability is assumed for incidental or consequential damages in connection with or arising out of the use of the information or programs contained herein.

For information about buying this title in bulk quantities, or for special sales opportunities (which may include electronic versions; custom cover designs; and content particular to your business, training goals, marketing focus, or branding interests), please contact our corporate sales department at corpsales@pearsoned.com or (800) 382-3419.

For government sales inquiries, please contact governmentsales@pearsoned.com.

For questions about sales outside the United States, please contact international@pearsoned.com.

Visit us on the Web: informit.com/ph

Copyright © 2014 Mark G. Sobell

All rights reserved. This publication is protected by copyright, and permission must be obtained from the publisher prior to any prohibited reproduction, storage in a retrieval system, or transmission in any form or by any means, electronic, mechanical, photocopying, recording, or likewise. To obtain permission to use material from this work, please submit a written request to Pearson Education, Inc., Permissions Department, One Lake Street, Upper Saddle River, New Jersey 07458, or you may fax your request to (201) 236-3290.

ISBN-13 (PDF): 978-0-13-347786-3

ISBN-10 (PDF): 0-13-347786-X

Second release, March 2014

Please send comments and corrections to the author at mgs@sobell.com.

CONTENTS

How to Use This Lab Manual	5
Lab 1: Setting Up the Student System	7
Lab 2: Installing Fedora.	11
Lab 3: Logging In, Running gnome-initial-setup, and Running GUI Applications . .	14
Lab 4: Getting Started Using bash	18
Lab 5: Introducing a Few Utilities	22
Lab 6: The Linux Filesystem	27
Lab 7: Customizing the New System and Using root Privileges	30
Lab 8: Updating and Installing Software Using yum	34
Lab 9: Editing Text Files Using gedit, nano, and vim	37
Lab 10: The Linux Filesystem and Common Command-Line Utilities	43
Lab 11: More Command-Line Utilities	48
Lab 12: File Access Permissions	52
Lab 13: System Administration Utilities.	56
Lab 14: Working with ACLs	60
Lab 15: Exploring bash Shell Features.	63
Lab 16: Shell Parameters and Variables	66
Lab 17: Writing and Executing a Shell Script.	69
Lab 18: Using ssh to Connect to a Remote System	73
Lab 19: Adding a Local, Text-Only Printer	77
Lab 20: Using CUPS to Connect to a Remote Printer	80
Lab 21: Displaying Network Configuration Information.	81
Lab 22: Configuring the Firewall Using the firewall-config Utility	83
Lab 23: Adding Packet Filtering Rules Using firewall-cmd	87
Lab 24: Installing the Apache (httpd) Web Server	90
Lab 25: Managing User Content and Private Directories.	94
Lab 26: Transferring Files Securely Using scp and rsync	97
Lab 27: Customizing Users and the System Using Scripts	101
Lab 28: The systemd init Daemon	104
Lab 29: Working with SELinux	108

Lab 30: Gaining root Privileges Using sudo	111
Lab 31: Installing Software Using rpm.	114
Lab 32: Installing Software from Source Code Files	116
Lab 33: Troubleshooting Using rpm Queries	118
Lab 34: Learning About GRUB.	120
Lab 35: Controlling Processes	123
Lab 36: Troubleshooting Network Connections	128
Lab 37: Configuring an FTP Server	130
Lab 38: Explore FTP Client Utilities	132
Lab 39: Connecting to NFS Shares	136
Lab 40: Sharing Files Using NFS	139
Lab 41: Exploring On-Demand Mounting	142
Lab 42: Sharing Local Directories Using Samba	144
Lab 43: Connecting to Existing Samba Shares.	147
Lab 44: Installing and Configuring a DNS Cache (a Caching-Only Nameserver) . . .	149
Lab 45: <i>Optional</i> : Setting Up the Install Media as a Repository	151
Lab 46: Installing Fedora on the Classroom Server	153

HOW TO USE THIS LAB MANUAL

This Lab Manual is designed for use with Mark Sobell's *A Practical Guide to Fedora and Red Hat Enterprise Linux, Seventh Edition*. Each of the labs includes page references to the Sobell book.

This Lab Manual has students work on a system on which they install Fedora 19 (the *student system*). The labs assume the student is working in a virtual environment using VMware Player or on a stand-alone physical computer.

HARDWARE AND SOFTWARE REQUIREMENTS

- **Student system**—The physical or virtual student system must have at least 1 gigabyte of RAM and 25 gigabytes of free disk space. When you use the ISO image file (and not when you use the DVD) you need an additional 4 gigabytes of free space. On a shared system, the disk space must be available on an external drive. Lab 1 and Lab 2 guide the student through setting up this system.

The student system and the classroom server

tip These labs refer to the system the student is working on as the **local system** or the **student system**. They refer to the classroom server system as the **classroom server** or **class**.

- **Classroom server**—The physical or virtual classroom server system must have at least 768 megabytes of RAM and 5 gigabytes of free disk space. This system can be installed by the student, provided by the instructor, and in some cases shared by the class. The classroom server is not required until Lab 18. Lab 46, which is available only to the instructor, explains how to set up the classroom server.

Lab 18, step 1 on page 73 of this Lab Manual adds the name (**class**) and IP address of the classroom server to the `/etc/hosts` file of the student systems for use in all subsequent labs that make use of the classroom server. All students must follow these instructions to be able to follow the labs that refer to the classroom server as **class**.

- **Fedora 19 install DVD**—You can obtain this DVD from the back of the hardcopy version of the Sobell text. Alternately, you can download and use a copy of the Fedora 19 installation (ISO) image file; see Sobell, page 46 for more information. The DVD or ISO image file must be available on the student system. If you wish to use a version of Fedora 19 other than the 32-bit Intel version, you will need to download the ISO image file.
- **Nonprivileged users**—The primary user, which is created when you install the system, is named Sammy Student and has the username **student**. For simplicity, all nonprivileged users have the same password: **fit714tree**. Normally, when you set up a Linux system, each user will have her own

password. See Sobell, page 136 for information on selecting secure passwords.

Because these labs build on preceding labs, it is important that you set up users as described in the labs.

- ◆ Lab 7 (page 30) adds **ben**, **max**, and the **linux** group.
- ◆ Lab 13 (page 56) adds **casey** and the **staff** group.
- ◆ Lab 14 (page 60) adds **rose**.
- **Student's initials**—Several labs ask you to write files to the classroom server. To keep students from overwriting other students' files, you are asked to append your initials (**XXX**) to the names of these files. Before you start working with this Lab Manual, make sure that each student uses initials that are unique among the students that will be working with the classroom server.
- **Privileged user (root)**—The privileged user with the username **root**, also referred to as Superuser, has the password **bird482dog**. You also set up this user when you install the system.

If the student system does not have Internet access

tip A few labs require access to software packages that are not included on the Fedora 19 install DVD. These labs explain how to download and install these packages using an Internet connection. For student systems without Internet connectivity, these packages must be downloaded in advance and made available to the student system. The packages that are required but not included on the Fedora 19 install DVD are:

- **autofs**
- **openldap-servers**

You can download these packages from download.fedoraproject.org, which redirects to a mirror site. Navigate to the **releases/19/Fedora/i386/os/Packages** directory (replace i386 with x86_64 if you are using a 64-bit system). Download these packages to the student system or to removable media.

Additionally, Lab 32 requires the source code tarball for the **which** utility (**which-2.20.tar.gz**). You can download this file from [ftp://ftp.gnu.org/gnu/which](http://ftp.gnu.org/gnu/which) and make it available on the student system.

ANSWERS

Answers appear in the Instructor Version of this Lab Manual; answers do not appear in the Student Version.

\$ echo 'example of an answer' # Appears only in Instructor Version

Please send any corrections, additions, or comments to the author at mgs@sobell.com. Mention the version of this Lab Manual as shown on the title page.

LAB 1: SETTING UP THE STUDENT SYSTEM (10–15 MINUTES)

The first part of this lab describes how to set up a virtual student system (VM or virtual machine) using VMware Player (Option 1; next). The second part describes how to set up a stand-alone physical system (Option 2; page 9 of this Lab Manual). Both options explain how to set up the system so that you can install Fedora from the Install Image DVD or the DVD ISO image file and end with the system paused with the Install Image Boot menu (Sobell, Figure 3-4 on page 61) displayed on the screen. The installation steps are covered in Lab 2 (page 11).

The student system and the classroom server

tip These labs refer to the system the student is working on as the **local system** or the **student system**. They refer to the classroom server system as the **classroom server** or **class**.

OBJECTIVES

In this lab you will set up a VMware instance (Option 1) or stand-alone system (Option 2) on which you will subsequently install Fedora.

SETUP

- VMware Player version 6 or a stand-alone physical system
- Fedora 19 Install Image DVD or, on a VM only, a DVD ISO image file on the host system
- 25 gigabytes of free disk space on either
 - ◆ An external USB hard disk *or*
 - ◆ The VM or stand-alone system (if no one else will be using it)

OPTION 1: SETTING UP A STUDENT SYSTEM USING VMWARE PLAYER

PROCEDURE

1. Create a new VM (virtual machine) for the Fedora installation. See “VMware Player: Installing Fedora on VMware” on page 671 of Sobell for detailed instructions. Simplified instructions follow.
 - a. Launch VMware Player.
 - b. Click **Create a New Virtual Machine**.
 - c. Click the radio button labeled **I will install the operating system later** and then click **Next**.
 - d. Click the radio button labeled **Linux** and select **Fedora** from the drop-down list labeled **Version**. Click **Next**.

- e. The default name of the VM is **Fedora**. Use the text box labeled **Name** to change the name of the VM so that it is unique within your class. Use the format *Fedora.XXX* where **XXX** are your initials.

The text box labeled **Location** allows you to specify where you want to store the VM image (the files that define the VM). Select one of the following locations.

- If several people share the local system, you can store the VM image on an external USB hard disk. Plug the disk into the local (student) system; the operating system will mount it. Once it is mounted, specify the mount point in the text box labeled **Location** (you can click **Browse** to find it). Make sure the location includes the name you just specified at the end of the pathname (e.g., **/vmw/Fedora.STG**).
 - If you are the only user on the local system, you can accept the default location as long as there is enough space on the host hard disk to hold the VM.
 - Click **Next**.
- f. Accept the default maximum disk size of 20 gigabytes (GB). Click the radio button labeled **Store virtual disk as a single file**; click **Next**.
 - g. Review the information in the next window and Click **Finish**. If a message about installing VMware Tools appears, click **Close** to return to the VMware Player window. Do not install VMware Tools.
2. Get VMware Player ready to boot to install Fedora 19.
 - a. To use VMware Player to access the Fedora 19 install image, click the name of the Fedora image you just created on the left side of the window and click **Edit Virtual Machine settings** near the bottom of the window on the right side; VMware Player displays the Hardware tab of the Virtual Machine Settings window.
 - b. Click **CD/DVD (IDE)** on the left side of the Virtual Machine Settings window. Make sure the check box labeled **Connect at power on** has a tick in it. If you are using physical install media (a DVD), click the radio button labeled **Use a physical drive** and select the mount point for the DVD from the drop-down list labeled **Device**. If you are using a DVD ISO image, click **Use ISO image** and enter the pathname of the image file (you can click **Browse** to find it). Click **Save**.

Do not take this step unless the installation has previously failed

tip This step causes installation on most machines to fail but enables installation on a few older machines to work. The following steps assume the Virtual Machine Settings window selected in step 2a is still open and displaying the CD/DVD tab.

- Click **Advanced** to display the CD/DVD Advanced Settings window and place a tick in the check box labeled **Use legacy emulation on physical devices**.
- Click **Close** to return to the Virtual Machine Settings window.
- Click **Save** to save the settings.

- To start the installation, click the name of the Fedora image you just created on the left side of the window and click **Play virtual machine** near the bottom of the window on the right side.
- Press CONTROL-G or click while the mouse pointer is over the VM window to direct input to the VM. (Press this key or click to make selections during the installation so that what you type goes to the VM and not to the host desktop.)
- When the VM displays the Install Image Boot menu (Sobell, Figure 3-4 on page 61), click on the window and then press the SPACE bar to pause the countdown. Ignore the messages that appear in boxes at the lower-right of the window; they will disappear after a few seconds.
- Press CONTROL-ALT to return the cursor to the host desktop.

3. Continue the installation with Lab 2 (page 11).

The next installation steps as described in Lab 2 are the same whether you are installing to a stand-alone physical system or a VM.

OPTION 2: SETTING UP A STUDENT SYSTEM ON A STAND-ALONE PHYSICAL SYSTEM

Although these labs focus on a student system that is installed on a VM, if you have the resources there is no reason you cannot set up the student system on a stand-alone physical system. Most of these labs will work exactly the same way with either setup; differences are noted.

Warnings

- caution**
- There is no information provided in these labs for a configuring dual-boot system. See Sobell, page 84 for more information.
 - You are about to remove all information from the hard disk of the local machine. *You will lose all data on the machine.* Back up any data you want to save.

PROCEDURE

1. Get the stand-alone physical system ready to boot to install Fedora 19.
 - a. Place the installation DVD in the DVD drive.
 - b. Boot the machine.
 - c. When the system displays the Install Image Boot menu (Sobell, Figure 3-4 on page 61), press the SPACE bar to pause the countdown.
2. Continue the installation with Lab 2 on the next page.

DELIVERABLES

A VM or stand-alone physical system that is paused while displaying the Install Image Boot menu (Sobell, Figure 3-4 on page 61).