Contemporary Business Mathematics, 12e (Hummelbrunner) Chapter 2 Review of Basic Algebra

1) Simplify: 7*m* - 2*m* - 3*m*

Answer: 2m

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

2) Simplify: 8x - 5y - 14x + 5y

Answer: -6x

Diff: 1 Type: SA Page Ref: 46-53

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

3) Simplify: 4x - 6y - 4x - 2y

Answer: -8y

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

4) Simplify: 2x + 0.73x

Answer: 2.73x

Diff: 1 Type: SA Page Ref: 46-53

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

5) Simplify: x - 0.32x

Answer: 0.68x

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

6) Simplify: 3ax - 4x + 1 - 7 + 3x - 4ax

Answer: -ax - x - 6

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

7) Simplify: -(4 - 6a) - (-4 + 3a)

Answer: -4 + 6a + 4 - 3a = 3a

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

8) Simplify: -(4 - 6a) - (-8 + 6a)

Answer: -4 + 6a + 8 - 6a = 4

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

9) Simplify: -(3*m* - 6*m* - 5) - (4 - 7*m* - 2*m*)

Answer: -3m + 6m + 5 - 4 + 7m + 2m = 12m + 1

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

10) Simplify: (7*a* - 7*b*) - (-3*a* + 9*b*) - 11*b*

Answer: 7a - 7b + 3a - 9b - 11b = 10a - 27b

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

11) Simplify: (8a - 7b) - (-3a + 7b) - 11b

Answer: 8a - 7b + 3a - 7b - 11b = 11a - 25b

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

12) Simplify: -9*a*(-5*b*)

Answer: 45ab

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

13) Simplify: -5a(-5b)

Answer: 25ab

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

14) Simplify: -6*m*(-3*m*)

Answer: 18m²

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

15) Simplify: 3a(-3b)(-4c)(-1)

Answer: -36abc

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

16) Simplify: -2*a*(-3*b*)(-4*c*)(-5)

Answer: 120abc

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

17) Simplify: 5(4x - 2)

Answer: 20x - 10

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

18) Simplify: -3x(4 - 2b - b)

Answer: -12x + 6bx + 3bx = -12x + 9bxDiff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

19) Simplify: -3x(4 - 2b - 2b)

Answer: -12x + 6bx + 6bx = -12x + 12bx

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

20) Simplify: 8(9*y* - 4) - 2(*y* - 1) - (1 - 3*y*)

Answer: 72y - 32 - 2y + 2 - 1 + 3y = 73y - 31

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

21) Simplify: 4(9y - 4) - 2(y - 1) - (1 - 3y)

Answer: 36y - 16 - 2y + 2 - 1 + 3y = 37y - 15

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

22) Simplify: (3m - 4n)(m + 7n)

Answer: $3m^2 + 21mn - 4mn - 28n^2 = 3m^2 + 17mn - 28n^2$

Diff: 2 Type: SA Page Ref: 46-53

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

23) Simplify: (3a - 1)(a - 3a + 1)

Answer: $3a^2 - 9a^2 + 3a - a + 3a - 1 = -6a^2 + 5a - 1$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

24) Simplify: (4a - 1)(a - 3a + 1)

Answer: $4a^2 - 12a^2 + 4a - a + 3a - 1 = -8a^2 + 6a - 1$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

25) Simplify: 2(a-1)(7a-3) - 3(6a-2)(2a+1)

Answer: $2(7a^2 - 3a - 7a + 3) - 3(12a^2 + 6a - 4a - 2)$

 $= 14a^2 - 6a - 14a + 6 - 36a^2 - 18a + 12a + 6$

 $= -22a^2 - 26a + 12$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

26) Simplify: $35x^{3}y \div (-7x)$

Answer: $-5x^2y$

Diff: 1 Type: SA Page Ref: 46-53

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

27) Simplify: $60xy \div (-5xy)$

Answer: -12

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

28) Simplify: $(-45a^{3b}) \div 15a^{2}$

Answer: -3ab

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

29) Simplify: (-64ab) ÷ (8ab)

Answer: -8

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

30) Simplify: $(-8ab) \div (8a)$

Answer: -b

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

31) Simplify: $(21x - 36) \div (-3)$

Answer: -7x + 12

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

32) Simplify: $(-a^3 - 11a^2 - 3a) \div (-a)$

Answer: $a^2 + 11a + 3$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

33) Simplify: $(-a^3 - 10a^2 - 3a) \div (a)$

Answer: $-a^2 - 10a - 3$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

34) Evaluate: $4x^2 - 10xy - 8y^2$ for x = -3, y = 5

Answer: $4x^2 - 10xy - 8y^2$

$$= 4(-3)^2 - 10(-3)(5) - 8(5)^2$$

$$=4(9)+150-8(25)$$

$$= 36 + 150 - 200$$

= -14

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

35) Evaluate y: $y = (3x^2 - x - 1) - (5 - 2x - x^2)$ for x = -3

Answer: $(3x^2 - x - 1) - (5 - 2x - x^2)$

$$= [3(-3)^2 - (-3) - 1] - [5 - 2(-3) - (-3)^2]$$

$$=(27+3-1)-(5+6-9)$$

$$=(29)-(2)$$

$$= 14.5 - 0.5$$

$$= 14.0$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

36) Evaluate R: R =
$$\frac{I}{PT}$$
 for I = 83, P = 845, T = $\frac{216}{360}$

Answer:
$$\frac{I}{PT} = \frac{83}{845 * \frac{216}{360}} = \frac{83}{845 * 6} = \frac{83}{507} = .163708$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

37) Evaluate r:
$$r = \frac{I}{PT}$$
, here I = 116, P = 1760, $t = \frac{150}{365}$

Answer:
$$r = \frac{116}{1760 * \frac{160}{365}} = \frac{116}{1760 * .4109589} = \frac{116}{723.28767} = .1603788$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

38) Evaluate r:
$$r = \frac{I}{PT}$$
, where I = 200, P = 800, $t = \frac{150}{365}$

Answer:
$$r = \frac{200}{800 \times \frac{160}{365}} = \frac{200}{800 \times .4109589} = \frac{200}{328.76712} = .6083333$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

39) Evaluate K: K =
$$\frac{2NC}{P(n+1)}$$
 for N = 32, C = 20, P = 1859, n = 26

Answer:
$$\frac{2NC}{P(n+1)} = \frac{2 \cdot 32 \cdot 20}{1859(26+1)} = \frac{1280}{1859(27)} = \frac{1280}{50193} = .0255$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

40) Evaluate P: P = A(1 - RT) for A = 1400, R = 0.185, T =
$$\frac{252}{360}$$

Answer

$$A(1 - RT) = 1400 \left[1 - 0.185 * \frac{252}{360} \right] = 1400 \left[1 - .185 * 7 \right]$$
$$= 1400 \left[1 - .1295 \right] = 1400 \left[.8705 \right] = 1218.7$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

41) Evaluate P: P = A(1 - RT) for A = 700, R = 0.185, T =
$$\frac{180}{360}$$

Answer:

$$A(1 - RT) = 700 \left[1 - 0.185 * \frac{180}{360} \right] = 1400 [1 - .185 * 7]$$
$$= 700[1 - .0925] = 700[.9075] = 635.25$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

42) Evaluate
$$p: p = s \left[1 - r * \frac{t}{360} \right]$$
, where $s = 3120$, $r = 0.123$, $t = 295$

Answer:

$$p = 3120 \left[1 - .123 \left(\frac{295}{360} \right) \right] = 3120 \left[1 - .123 * .8194444 \right]$$
$$= 3120 \left[1 - .1007917 \right] = 3120 \left[.8992083 \right] = 2805.53$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

43) Evaluate P:
$$P = \frac{A}{1 + RT}$$
 for A = 752, R = 0.145, T = $\frac{225}{360}$

Answer:
$$\frac{A}{1 + RT} = \frac{752}{1 + .145 \cdot .625} = \frac{752}{1 + .090625} = \frac{752}{1.090625} = 689.5129$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

44) Evaluate s:
$$s = \frac{p}{\left(1 + r * \frac{t}{360}\right)}$$
, where $p = 3411.50$, $r = 0.0925$, $t = 75$

Answer:
$$s = \frac{3411.50}{1 + .0925 \cdot .0208333} = \frac{3411.50}{1 + 0.0192708} = \frac{3411.50}{1.0192708} = 3347.001$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

45) Evaluate the value of FV, if FV = PMT
$$\left[\frac{(1+i)^n - 1}{i} \right]$$
, PMT = \$750, i = 0.025, and n = 10.

Answer: FV =
$$750 \left[\frac{(1+0.025)^{10}-1}{0.025} \right] = $8402.54$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

46) Evaluate: 1⁶

Answer: 1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

47) Evaluate: (-1)¹⁴

Answer: 1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

48) Evaluate: (-1)¹⁷

Answer: -1

Diff: 1 Type: SA Page Ref: 53-61

Topic: 2.2 Integral Exponents

49) Evaluate:
$$\left[\frac{-1}{8}\right]^5$$
Answer: $-\frac{1}{32768}$

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

50) Evaluate: (-0.1)⁷ Answer: -0.0000001

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

51) Evaluate: (-0.1)⁴ Answer: 0.0001

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

52) Evaluate: m^0

Answer: 1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

53) Evaluate: (-5)-3

Answer: $-\frac{1}{125}$ or -.008

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

54) Evaluate:
$$\left[\frac{2}{3}\right]^{-3}$$

Answer: $\frac{27}{8}$ or 3.375

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

55) Evaluate: (3.09)⁰

Answer: 1

Diff: 1 Type: SA Page Ref: 53-61

Topic: 2.2 Integral Exponents

56) Evaluate: -(288888)⁰

Answer: -1

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

57) Evaluate: (3)²(3)⁴

Answer: $(3)^2(3)^4 = 36 = 729$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

58) Simplify: $(-4)^4 * (-4)$

Answer: $(-4)^4 + 1 = (-4)^5 = -1024$ Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

59) Simplify: $(-4)^3 * (-4)$

Answer: $(-4)^3 + 1 = (-4)^4 = 256$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

60) Simplify: $(-3)^7 \div (-3)^4$

Answer: $(-3)^{7-4} = (-3)^3 = -27$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

61) Simplify: $(m^4)^5$

Answer: $(m^4)^5 = m^4 \times 5 = m^{20}$

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

62) Simplify: $(m^5)^5$

Answer: $(m^5)^5 = m^5 \times 5 = m^{25}$

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

63) Simplify: [(-4)⁴]³

Answer: $(-4)^4 \times 3 = (-4)^{12} = 16777216$ Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

64) Simplify: $m^{13} \div m^6$

Answer: $m^{13-6} = m^7$

Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

65) Simplify: $(-1)^4(-1)^2(-1)^5$

Answer: $(-1)^{4+2+5} = (-1)^{11} = -1$ Diff: 1 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

66) Simplify: $\frac{(x^3)(x^5)}{x^4}$

Answer: $x^3 + 5 - 4 = x^4$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

67) Simplify: $\frac{(x^{16})(x^4)}{x^2}$

Answer: x16 + 4 - 2 = x18

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

68) Simplify: $\left[\frac{1}{9}\right]^8 \div \left[\frac{1}{9}\right]^3$

Answer: [1/9]8-3 = [1/9]5 = 1/59049Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

69) Simplify: $\left[\frac{-3}{5}\right]^9 \div \left[\frac{-3}{5}\right]^4$

Answer: $[-3/5]^9 - 4 = [-3/5]^5 = -243/3125 = -.07776$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

70) Simplify: $1.005240 \div 1.005160$

Answer: 1.005240 - 160 = 1.00580 = 1.4903386

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

71) Simplify:
$$\left[\left(\frac{-3}{8} \right)^6 \right]^3$$

Answer: $[-3/8]6 \times 3 = [-3/8]18 = (-3)18/818$ or .0000000215062

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

72) Simplify:
$$(1 - r)^2(1 - r)^3(1 - r)$$

Answer: $(1 - r)^6$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

73) Simplify:
$$(1 - r)^3(1 - r)^4(1 - r)$$

Answer: $(1 - r)^8$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

Answer: $(1 - r)^{51} \times 2 = (1 - r)^{102}$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

75) Simplify: (5wz)³

Answer: $5^3 w^3 z^3 = 125 w^3 z^3$

Diff: 1 Type: SA Page Ref: 53-61

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

77) Simplify:
$$\left[\frac{a^6b^8}{x}\right]^2$$
Answer:
$$\frac{a^6 \times 2b^8 \times 2}{x^1 \times 2} = \frac{a^{12}b^{16}}{x^2}$$

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

78) Simplify: $7^{-5} \div 7^{-7}$

Answer: 7-5 - (-7) = 72 = 49

Diff: 3 Type: SA Page Ref: 53-61

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

79) Simplify: $\left[\frac{1+i}{i}\right]^n$

Answer: $\frac{(1+i)^n}{i^n}$

Diff: 3 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

80) Compute: $\sqrt{137.84475}$

Answer: $\sqrt{137.84475} = 11.74$

Diff: 1 Type: SA Page Ref: 61-64

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

81) Compute: $\sqrt[12]{1.126825}$

Answer: 1.01

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

82) Compute: $\sqrt[3]{1.092727}$

Answer: 1.03

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

83) Compute: $\sqrt[11]{.000488281}$

Answer: .5

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

84) Compute: $\sqrt[14]{1.159}$ Answer: 1.010595566

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

85) Compute: $\sqrt[8]{2.65437021}$

Answer: 1.13

Diff: 2 Type: SA Page Ref: 61-64 Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

86) Compute: 1956^{2/5} Answer: 20.727529

Diff: 2 Type: SA Page Ref: 59-62 Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

87) Compute: 32.5^{3/4} Answer: 13.611705

Diff: 2 Type: SA Page Ref: 59-62 Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

88) Compute: 8^{2/6}

Answer: $\sqrt[6]{8^2} = \sqrt[6]{64} = 2$

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

89) Compute: $\sqrt[7]{4.5689}$

Answer: 1.2423925

Diff: 2 Type: SA Page Ref: 59-62 Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

90) Compute: 3.94-6/17 Answer: 0.616346

Diff: 3 Type: SA Page Ref: 51-64

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

91) Compute:
$$\frac{1 - 1.15^{-41}}{0.05}$$

Answer:
$$\frac{1 - .0032463}{.05} = \frac{.9967537}{.05} = 9.935074$$

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

92) Compute the value of
$$\frac{1 - 1.025^{-25}}{0.0295}$$

Answer:
$$\frac{1 - .5393906}{.0295} = \frac{.4606094}{.0295} = 15.61388$$

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

93) Evaluate:
$$50.00 \left(\frac{(1 + .02)^{40} - 1}{0.02} \right)$$

Answer:

Firstwer:

$$50.00 \left[\frac{(1+.02)^{40} - 1}{0.02} \right]$$

$$= 50 \left[\frac{(1.02)^{40} - 1}{0.02} \right]$$

$$= 50 \left[\frac{2.208039664 - 1}{0.02} \right]$$

$$= 50 \left[\frac{1.208039664}{0.02} \right]$$

$$= 50(60.40198318)$$

$$= 3020.10$$

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

94) Express in logarithmic form: $2^9 = 512$

Answer: $9 = \log_2 512$

Diff: 2 Type: SA Page Ref: 64-70 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

95) Express in logarithmic form: $5^6 = 19683$

Answer: $6 = \log_5 15625$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

96) Express in logarithmic form: $10^{-4} = 0.0001$

Answer: $\log_{10} .0001 = -4$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

97) Express in logarithmic form: $y^{-2z} = 24$

Answer: $-2z = \log_{\mathcal{V}} 24$

Diff: 2 Type: SA Page Ref: 64-70 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

98) Express in exponential form: $\log_3 \frac{1}{81} = -4$

Answer:
$$\log_3 \frac{1}{81} = -4, 3^{-4} = \frac{1}{81}$$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

99) Express in exponential form: $\ln e^5 = 5$

Answer: $e^5 = e^5$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

100) Evaluate: ln 250

Answer: In 250 = 5.521460918 Diff: 2 Type: SA Page Ref: 64-70 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

101) Evaluate: In 60

Answer: $\ln 60 = 4.094344562$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

102) Evaluate: $ln[400(1.17^7)]$

Answer:

$$ln[400(1.17^{7})] = ln 400 + ln 1.17^{7}
= ln 400 + 7(ln 1.17)
= 5.9914645 + 7(.1570038)
= 5.9914645 + 1.0990262 = 7.090491$$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

103)
$$\ln \left(\frac{1 - (1 + 0.0625)^{-12}}{0.0625} \right)$$

Answer:

Answer:

$$\ln \left(\frac{1 - (1 + 0.0625)^{-12}}{0.0625} \right)$$

$$= \ln \left(\frac{1 - 0.0625^{-12}}{0.0625} \right)$$

$$= \ln \left(\frac{1 - 0.483117462}{0.0625} \right)$$

$$= \ln \left(\frac{0.516882538}{0.0625} \right)$$

= ln 8.270120604

= 2.112649092

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

104) Solve: 9x = 63Answer: $x = \frac{63}{9} = 7$

Diff: 1 Type: SA Page Ref: 72-77 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

105) Solve: 2x = 40Answer: $x = \frac{40}{2} = 20$

Diff: 3 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

106) Solve: -5x = 35Answer: $x = \frac{35}{-5} = -7$

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

107) Solve: $-\frac{2}{9}x = 64$

Answer: $x = 64 \left(\frac{9}{-2} \right) = -288$

Diff: 2 Type: SA Page Ref: 72-77

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

108) Solve: 0.04x = 37

Answer: $x = \frac{37}{.04} = 925$

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

109) Solve: $\frac{x}{4} = 0.24$

Answer: x = 0.24(4) = 0.96

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

110) Solve: $\frac{x}{8} = 0.3$

Answer: x = 0.3(8) = 2.4

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

111) Solve: $-\frac{1}{8}x = 15$

Answer: x = 15 * -8, x = -120

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

112) Solve: $-\frac{4}{3}x = -49$

Answer: $x = -49 * \frac{-3}{4} = \frac{147}{4} = 36.75$

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

113) Solve: -2x = 8 - 18xAnswer: 16x = 8, x = 2

Diff: 1 Type: SA Page Ref: 72-77 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

114) Solve: 3x = 9 + 12x

Answer: -9x = 9, x = -1

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

115) Solve: 2x + 17 = 7x - 15

Answer: 17 + 15 = 7x - 2x, 32 = 5x, 6.4 = x

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

116) Solve: 2x + 17 = 8x - 3

Answer: 17 + 3 = 8x - 2x, 20 = 6x, 3.3333 = x

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

117) Solve: x - 0.23x = 2105

Answer: .77x = 2105, $x = \frac{2105}{.77} = 2733.766$

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

118) Solve: x + 0.307x = 640.20

Answer: 1.307x = 640.20, $x = \frac{640.20}{1.307} = 489.824$

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

119) Solve: 51 - 14x = -34 - x

Answer: 51 + 34 = -x + 14x, 85 = 13x, 6.538462 = x

LS: 51 - 14(6.538462) = 51 - 91.53846 = -40.53846

RS: -34 - 6.53846 = -40.53846

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

120) Solve:
$$4x - 8 - 19x = 210 + 7x - 4$$

Answer: 4x - 8 - 19x = 210 + 7x - 4

$$-15x - 8 = 206 + 7x$$

$$-8 - 206 = 7x + 15x$$

$$-214 = 22x$$

$$-9.7272727 = x$$

RS:
$$= 210 + 7(-9.7272727) - 4$$

$$= 137.90909$$

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

121) Solve:
$$\frac{52}{3} - \frac{2}{5}x = \frac{11}{6}x - \frac{1}{30}$$

Answer:
$$\frac{52}{3} - \frac{2}{5}x = \frac{11}{6}x - \frac{1}{30}, \frac{52}{3} + \frac{1}{30} = \frac{11}{6}x + \frac{2}{5}x$$

$$520 + 1 = 55x + 12x$$
, $521 = 67x$, $7.7761194 = x$

Diff: 2 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

122) Solve:
$$10(3 - x) + 2(x - 2) = 6(2x - 2)$$

Answer:
$$10(3-x) + 2(x-2) = 6(2x-2)$$

$$30 - 10x + 2x - 4 = 12x - 12$$

$$-10x + 2x - 12x = -12 - 30 + 4$$

$$-20x = -38$$

x = 1.9

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

123) Solve:
$$4(2x - 5) + 3 = 3(x - 4)$$

Answer:
$$4(2x - 5) + 3 = 3(x - 4)$$

$$8x - 20 + 3 = 3x - 12$$

$$8x - 3x = -12 + 20 - 3$$

5x = 5

x = 1

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

124) Solve:
$$\frac{3}{4} - \frac{x}{8} - \frac{x+2}{6} = 1$$

Answer:
$$\frac{3}{4} - \frac{x}{8} - \frac{x+2}{6} = 1$$

$$(24)\frac{3}{4} - (24)\frac{x}{8} - (24)\frac{x+2}{6} = (24)1$$

$$(6)3 - 3x - (4)(x + 2) = 24$$

$$18 - 3x - 4x - 8 = 24$$

$$-7x = 14$$

x = -2

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

125) Solve:
$$5(2x - 4) - 3(1 - 3x) = -64$$

Answer:
$$5(2x - 4) - 3(1 - 3x) = -64$$

$$10x - 20 - 3 + 9x = -64$$

19x = -41

x = 2.1578947

$$5[-8.3157895] - 3[7.4736842] = -64$$

$$-41.578948 - 22.421053 = -64$$

$$-64 = -64$$

RS: = -64

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

126) Solve:
$$17 - 4(2x - 7) = 15x - 3(2x - 3)$$

Answer:
$$17 - 4(2x - 7) = 15x - 3(2x - 3)$$

$$17 - 8x + 28 = 15x - 6x + 9$$

$$45 - 8x = 9x + 9$$

36 = 17x

$$2.117647 = x$$

17 + 11.058824

28.058824

RS: 15(2.117647) - 3[2(2.117647) - 3]

31.764706 - 3[4.2352941 - 3]

31.764706 - 3[1.2352941]

31.764706 - 3.7058823 = 28.058824

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

127) Solve:
$$y + \frac{4}{7}y = 308$$

Answer:
$$y + \frac{4}{7}y = 308$$

$$\frac{11}{7}y = 308$$

$$y = 308 \times \frac{7}{11}$$

y = 196

Diff: 2 Type: SA Page Ref: 77-81

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

128) Solve:
$$2 - \frac{1}{2}x = \frac{2}{3}x + \frac{25}{9}$$

Answer:
$$2 - \frac{1}{2}x = \frac{2}{3}x + \frac{25}{9}$$

$$36 - 9x = 12x + 50$$

$$-14 = 21x$$

$$-\frac{2}{3} = x$$

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

129) Solve:
$$\frac{14}{5}(4-3x) + \frac{23}{40} = \frac{7}{10}x - \frac{3}{8}(2x-3)$$

Answer:
$$\frac{14}{5}(4-3x) + \frac{23}{40} = \frac{7}{10}x - \frac{3}{8}(2x-3)$$

$$112(4-3x) + 23 = 28x - 15(2x - 3)$$

$$448 - 336x + 23 = 28x - 30x + 45$$

$$471 - 336x = -2x + 45$$

$$426 = 334x$$

$$1.2754491 = x$$

Topic: 2.6 Solving Equations Involving Algebraic Simplification

130) Solve: $\frac{4}{3}(5x - 2) - \frac{3}{5}(16x - 3) = \frac{17}{60} + 3x$

Answer: $\frac{4}{3}(5x-2) - \frac{3}{5}(16x-3) = \frac{17}{60} + 3x$

80(5x - 2) - 36(16x - 3) = 17 + 180x

400x - 160 - 576x + 108 = 17 + 180x

-176x - 52 = 17 + 180x

-69 = 356x

-.1938202 = x

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

131) Solve: I = Prt for r

Answer: I = Prt, $r = \frac{I}{Pt}$

Diff: 1 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

132) Solve: I = Prt for t

Answer: I = Prt, $t = \frac{I}{Pr}$

Diff: 1 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

133) Solve:
$$\frac{(R+r)}{r} = \frac{V}{V}$$
 for V

Answer:

$$\frac{(R+r)}{r} = \frac{V}{V}$$

$$v(R + r) = Vr$$

$$V = \frac{v(R + r)}{r}$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

134) Solve: $Q = \frac{p - q}{4}$ for p

Answer: $Q = \frac{p-q}{4}$, 4Q = p - q, 4Q + q = p

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

135) Solve:
$$P = S(1 + i)^{-n}$$
 for i

Answer:
$$P = S(1+i)^{-n}$$
, $\frac{P}{S} = (1+i)^{-n}$,

$$\left[\frac{P}{S}\right]^{-1/n} = 1 + i, \left[\frac{S}{P}\right]^{1/n} = 1 + i,$$

$$i = \left[\frac{S}{P}\right]^{1/n} - 1$$

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

136) Solve:
$$S = P(1 + rt)$$
 for t

Answer:

$$S = P(1 + rt), S = P + Prt, S - P = Prt$$
$$t = \frac{S - P}{Pr}$$

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

137) Solve:
$$D = \frac{1}{E + F}$$
 for F

Answer:
$$D = \frac{1}{E + F}, \frac{1}{D} = E + F, F = \frac{1}{D} - E$$

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

138) Conor had to pay income taxes of \$3 440.00 plus 22% of the amount by which his taxable income exceeded \$36 000.00. If his tax bill was \$3 684.00, calculate his taxable income.

Answer: Let the taxable income (in dollars) be x.

Then x - 36 000 is the amount that his income is greater than \$36 000.

$$3440 + 0.22(x - 36\ 000) = 3684$$

$$3440 + 0.22x - 7920 = 3684$$

0.22x = 8164

 $x = $37 \ 109.09$

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

139) Jane invests part of her \$3 500 savings into a savings account at 4% and part into a GIC at 9.5% simple interest. If she gets \$260 in interest from the two investments, calculate how much she invested at each rate.

Answer:

Let the amount invested in the savings account (at 4%) be \$x.

Then the amount invested at 9.5% is (3500 - x).

0.04x + 0.095(3500 - x) = 260

0.04x + 332.50 - 0.095x = 260

-0.055x = -72.5

 $x = 1318.\overline{18}$

Jane invested about \$1318.18 at 4% (in her savings account).

3500 - 1318.18 = \$2182.82. Jane invested about \$2182.82 at 9.5% (in her GIC).

Diff: 3 Type: SA Page Ref: 82-87

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

140) Bow Valley Electronics sold a mini stereo set during a sale for \$776. Determine the regular selling price of the set if the price of the set had been reduced by 1/4 of the original regular selling price.

Answer: Let the regular selling price be \$x.

Sale price =
$$\$ \left[x - \frac{1}{4} x \right]$$

$$\therefore \qquad x - \frac{1}{4}x = 776$$

$$4x - x = 3104$$

$$3x = 3104$$

$$x = 1034.67$$

The regular selling price was \$1034.67.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

141) After an increase of 1/9 of his current hourly wage, Pierre will receive a new hourly wage of \$12.35. How much is his hourly wage before the increase?

Answer: Let the original hourly wage be \$x.

New hourly wage =
$$\$\left[x + \frac{1}{9}x\right]$$

$$x + \frac{1}{9}x = 12.35$$

$$9x + x = 111.15$$

$$10x = 111.15$$

$$x = 11.12$$

The hourly wage before increase was \$11.12.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

142) After a reduction of the selling price, a VCR was sold for \$470.00. Determine the regular selling price.

Answer: Let the regular price be *y*.

Then reduction in price is *y*.

y - y = 470

y = 470

y = \$506.15

The regular selling price is \$506.15.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

143) A rubber tube 120 cm long is cut into two pieces so that the longer piece is 30 cm longer than twice the length of the shorter piece. What is the length of the longer piece?

Answer: Let the shorter piece be x cm.

Length of the longer piece = (2x + 30) cm.

Total length = (x + 2x + 30) cm.

$$\therefore \quad x + 2x + 30 = 120$$

$$3x = 90$$

$$x = 30$$

The longer piece is 2(30) cm + 15 cm = 75 cm.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

144) A clothing store sells fancy hats at a gross margin of \$3.50 each and ordinary hats at a gross margin of \$5.00 each. During July, 110 hats were sold for a total gross margin of \$460.00. How many fancy hats were sold?

Answer: Let the number of fancy hats be y.

Then the number of ordinary hats = 110 - y.

The total gross margin on fancy hats = \$5(y).

The total gross margin on ordinary hats = \$3.5(110 - y)

$$5y + 3.5(110 - y) = 460$$

$$5y + 385 - 3.5y = 460$$

$$1.5y = 75$$

$$y = 50$$

The number of fancy hats sold = 50.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

145) An electronics company has been producing 1705 CD Players a day working two shifts. The second shift has produced 95 CD players fewer than four-fifths of the number of CD players produced by the first shift. Determine the number of CD players produced by the second shift.

Answer: Let the number of CD players produced by the first shift be x.

Number of CD players produced by the second shift = $\frac{4}{5}x$ - 95.

Total production = $x + \frac{4}{5}x - 95 = 1705$

$$\therefore x + \frac{4}{5}x - 95 = 1705$$

$$\frac{9}{5}x = 1800$$

$$x = 1000$$

Production by the second shift is $\frac{4}{5}x(1000) - 95 = 705$.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

146) A 3D printer requires 3 hours to make a unit of Part A and eight hours to make a unit of Part B. Last month the printer operated for 232 hours producing a total of 74 units. How many units of Part B were produced?

Answer: Let the number of units of Part A produced last month be x.

Then the number of units of Part B produced last month is 74 - x,

the number of hours taken to produce Part A was 3x, and

the number of hours taken to produce Part B was 8(74 - x).

$$3x + 8(74 - x) = 232$$
$$3x + 592 - 8x = 232$$
$$-5x = -360$$

$$x = 72$$

Part B: 82 - 72 = 10. \therefore 10 units of Part B were produced last month.

Diff: 2 Type: SA Page Ref: 82-87

Topic: 2.7 Solving Word Problems

147) The local amateur soccer club spent \$1640 on tickets to a professional hockey game. If the club bought 2.5 times as many eight-dollar tickets than the number of twelve-dollar tickets and four fewer fifteen-dollar tickets than 7/10 the number of twelve dollar tickets, how many of each type of ticket did the club buy?

Answer: Let the number of \$12 tickets be x.

Number of \$8 tickets = 2.5x

Number of \$15 tickets =
$$\frac{7}{10}x - 4$$

Value of the \$12 tickets = \$12x

Value of the \$8 tickets = \$8(2.5x)

Value of the \$15 tickets = $$15(\frac{7}{10}x - 4)$

$$12x + 8(2.5x) + 15 (7/10x - 4) = $1640$$

$$12x + 20x + 10.5x - 60 = 1640$$

$$42.5x = 1700$$

$$x = 40$$

Sales were 40 \$12 tickets, 100 \$8 tickets, and 24 \$15 tickets.

Diff: 3 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

148) Evaluate s: $s = ut + at^2$ for u = 10, a = 24, t = 7

Answer:

$$s = 10(7) + (24)(7)^2$$
$$= 70 + 1896$$
$$= 1966$$

Diff: 2 Type: SA Page Ref: 46-53

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

149) Evaluate s:
$$s = ut + \frac{1}{2}at^2$$
 for $u = 20$, $a = 10$, $t = 5$

Answer:

$$s = 20(5) + \frac{1}{2}(10)(5)^2$$

$$= 225$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

150) Evaluate z: $z = 5x^2 - 5xy - 3y^2$ for x = -6, y = +5

Answer:

$$z = 5(-6)^2 - 5(-6)(5) - 3(5)^2$$
$$= 5(36) + 150 - 3(25)$$
$$= 180 + 150 - 75$$
$$= 255$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

151) Evaluate c:
$$c = 8(7a - 4b) - 4(5a + 3b)$$
 for $a = \frac{1}{3}$, $b = -\frac{5}{4}$

Answer:

This well:

$$c = 8 \left[7 \left(\frac{1}{3} \right) - 4 \left(-\frac{5}{4} \right) \right] - 4 \left[5 \left(\frac{1}{3} \right) + 3 \left(-\frac{5}{4} \right) \right]$$

$$= 8 \left[\frac{7}{3} + \frac{20}{4} \right] - 4 \left[\frac{5}{3} - \frac{15}{4} \right]$$

$$= \frac{56}{3} + \frac{160}{4} - \frac{20}{3} + \frac{60}{4}$$

$$= \frac{36}{3} + \frac{220}{4} = 12 + 55 = 67$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

152) Evaluate K: K =
$$\frac{2NC}{P(n+1)}$$
 for N = 112, C = 250, P = 2450, n = 24

Answer: For N = 12, C = 400, P = 2000, n = 24

$$K = \frac{2NC}{P(n+1)} = \frac{2(112)(250)}{2450(24+1)} = \frac{56000}{61250} = .914286$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

153) Evaluate T: T =
$$\frac{I}{P_r}$$
 for I = 224, P = 6700, r = 0.11

Answer: For I = 324, P = 5400,
$$r$$
 = 0.15

$$T = \frac{I}{Pr} = \frac{224}{6700x.11} = \frac{224}{737} = .3039349$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

154) Evaluate P: P = S(1 -
$$dt$$
) for S = 1886, d = 0.15, $t = \frac{249}{365}$

Answer:

= 1693.01

P =
$$1886 \left[1 - .15 \times \frac{249}{365} \right]$$

= $1886 (1 - .15 \times .6821918)$
= $1886 (1 - .1023288)$
= $1886 (.8976712)$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

155) Evaluate P: P =
$$\frac{S}{1 + rt}$$
 for S = 1665, $r = 0.14$, $t = \frac{292}{365}$

Answer:
$$P = \frac{1665}{1 + .14 \times \frac{292}{365}} = \frac{1665}{1 + .14 \times .8} = \frac{1665}{1 + .112} = \frac{1665}{1.112} = $1497.30$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

156) Evaluate P: P =
$$\frac{S}{1 + rt}$$
 for S = 1000, $r = 0.1$, $t = \frac{180}{360}$

Answer:
$$P = \frac{1000}{1 + .1 \times \frac{180}{360}} = \frac{1000}{1 + .1 \times .5} = \frac{1000}{1 + .05} = \frac{1000}{1.05} = $952.38$$

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

157) Compute:
$$\sqrt[19]{1.36}$$

Answer:
$$\sqrt[19]{1.36} = 1.016315$$

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

158) Compute:
$$\frac{1 - 1.04^{-35}}{0.05}$$

Answer:
$$\frac{1 - 1.04^{-35}}{0.05} = \frac{1 - .2534155}{.05} = \frac{.7465845}{.05} = 14.93169$$

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

159) Compute:
$$\frac{1 - 1.02^{-40}}{0.02}$$

Answer:
$$\frac{1 - 1.02^{-40}}{0.02} = \frac{1 - .4528904152}{.02} = \frac{.5471095848}{.02} = 27.36$$

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

160) Compute: ln 1.257 Answer: ln 1.257 = .228728

Diff: 1 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

161) Compute: ln[2.50*e*-0.2]

Answer: ln(2.50e -0.2)

 $= \ln 2.50 + \ln e^{-0.2}$

 $= \ln 2.50 - 0.2 \ln e$

= 0.7162907319

Diff: 3 Type: SA Page Ref: 64-70

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

162) Solve: x - 0.26x = 8.96

Answer: x - .26x = 8.96, .74x = 8.96, x = 12.10811

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

163) Solve: x - 0.75x = 9.00

Answer: x - .75x = 9.00, .25x = 9.00, x = 36.00

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

164) Solve: 0.4x - 4 = 6 - 0.8x

Answer: .4x - 4 = 6 - .8x, 1.2x = 10, x = 8.333333333

Diff: 1 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

165) Solve:
$$(2 + 8x) - (12x - 3) = 73$$

Answer:
$$(2 + 8x) - (12x - 3) = 73$$

$$2 + 8x - 12x + 3 = 73$$

$$5 - 4x = 73$$

$$-4x = 68$$

$$x = -17$$

Diff: 2 Type: SA Page Ref: 77-81

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

166) Solve:
$$5(8x - 2) - 5(3x + 5) = 36$$

Answer:
$$5(8x - 2) - 5(3x + 5) = 36$$

$$40x - 10 - 15x - 25 = 36$$

$$25x - 35 = 36$$

$$25x = 71$$

$$x = 2.84$$

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

167) Solve:
$$x + \frac{7}{10}x + \frac{1}{2} + x + \frac{4}{5}x + 1 = 256$$

Answer:
$$x + \frac{7}{10}x + \frac{1}{2} + x + \frac{4}{5}x + 1 = 256$$

$$x + .7x + 1.8x + 1.5 = 256$$

$$3.5x = 254.5$$

$$x = 72.71429$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

168) After reducing the regular selling price by 1/7, Moon Electronics sold a TV set for \$294. What was the regular selling price?

Answer: Let the regular selling price be \$x.

Reduction in price + $\$\frac{1}{7}x$

$$x - \frac{1}{7}x = 294$$

$$\frac{6}{7}x = 294$$

$$x = $343.00$$

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

169) After reducing the regular selling price by 1/8, Sepaba Inc. sold a Stereo set for \$300. What was the regular selling price?

Answer: Let the regular selling price be \$x.

Reduction in price + $\$\frac{1}{8}x$

$$x - \frac{1}{8}x = 300$$

$$\frac{7}{8}x = 300$$

$$x = $342.86$$

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

170) The zinc department of a factory occupies 500 square metres more than 2 times the floor space occupied by the copper department. The total floor space is 9500 square metres. Determine the floor space occupied by the cooper department.

Answer: Let the floor space occupied by copper be x.

Floor space occupied by zinc = 2x + 500

Total floor space = x + 2x + 500

$$x + 2x + 500 = 9500$$

$$3x = 9000$$

$$x = 3000$$

The floor space occupied by copper is 3000 square metres.

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

171) A company employs 204 employees. There are three shifts. There are three times as many on the first shift as on the second shift, and four more on the third shift than on the second shift. Determine how many were on each shift.

Answer: Let x be the number on the second shift.

Then 3x is the number on the first shift.

And x + 4 is the number on the third shift.

$$x + 3x + (x + 4) = 204$$

$$5x = 200$$

x = 40 on the second shift

3x = 120 on the first shift

x + 4 = 44 on the third shift

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

172) A machine requires 4 hours to make a unit of Product A and 7 hours to make a unit of Product B. The machine operated for 810 hours producing a total of 150 units. How many units of Product B were produced?

Answer: Let the number of units of Product A be x.

Number of units of Product B = 150 - x.

Number of hours for Product A = 4x.

Number of hours for Product B = 7(150 - x).

$$4x + 7(150 - x) = 810$$

$$4x + 1050 - 7x = 810$$

$$-3x = -240$$

$$x = 80$$

The number of units if Product B is 150 - 80 = 70.

Diff: 2 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

173) Simplify: (5x - 4)(3x + 1)

A)
$$15x^2 - 7x + 4$$

B)
$$15x^2 - 7x - 4$$

C)
$$15x^2 + 7x - 4$$

D)
$$-15x^2 - 7x + 4$$

E)
$$-10x^2 - 7x + 4$$

Answer: B

Diff: 1 Type: MC Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

174) Simplify:
$$\frac{25a^6b^8c^{10}}{5a^2b^4c^5}$$

- A) $20a^4b^4c^5$
- B) $5a^4b^4c^5$
- C) $5a^3b^2c^2$
- D) $20a^3b^2c^2$
- E) $55a^4b^4c^5$

Answer: B

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

175) Simplify: $(3)^2(3)^5$

A) 30

B) 90

C) 59 049

D) 2187

E) 120

Answer: D

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

176) Simplify: $[(2^3)^4]^2$

A) 16777216

B) 17666216

C) 12222617

D) 17222167

E) 17333167

Answer: A

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

177) Compute the value of (four decimal places): $\frac{4^{-7}}{3^{-6}}$

A) .0045

B) .5449

C) .4459

D) .0445

E) 0.044946

Answer: E

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

178) Simplify: $(m^2)^6$

A) m¹²

B) m-4

 $C) m^8$

D) m³

E) m²

Answer: A

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

179) Simplify: $[(3^3) - 6^2]^3$

A) 279

B) -279

C) 729

D) -729

E) 972

Answer: D

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

180) Calculate the following:
$$\ln \left[2.48 \times \left(\frac{3.87 - 12}{0.00059} \right) \right]$$

A) 7.895

B) -8.795

C) 7.588

D) -7.895

E) -7.958

Answer: D

Diff: 2 Type: MC Page Ref: 64-70

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

181) Solve the following equation: 5x - 4 + 9 = -3x - 2 - 13

A) 2.5

B) -2.5

C) 20

D) -20

E) -25

Answer: B

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

182) Solve the following and check your solutions: 14x - 8(9 + 2x) = 322

A) 197

B) 125

C) -98.5

D) -197

E) -125

Answer: D

Diff: 1 Type: MC Page Ref: 77-81

Topic: 2.6 Solving Equations Involving Algebraic Simplification

183) You have a lotto ticket with three numbers between zero and 49. The total of the three numbers is 93. One number is twice as large plus two as the lowest number. The second number is $\frac{4}{3}$ the size of the

smaller number. What are the values of each of the numbers?

A) 1-44, 2-28, 3-21

B) 1-41, 2-31, 3-21

C) 1-44, 2-25, 3-24

D) 1-44, 2-20, 3-15

E) 1-44, 2-15, 3-20

Answer: A

Diff: 3 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

184) Simplify: 11.57843/7

A) 3.857

B) 4.857

C) 2.857

D) 2.587

E) 4.785

Answer: C

Diff: 1 Type: MC Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

185) You have 4 colors of paper slips in a small bag - white, pink, and brown. There are 3 times minus 4 as many white papers as there are pink papers. There is 7/8 as many plus 2 brown papers as there are pink. There are a total of 622 papers in the bag. How many of each colour paper are there?

A) 130 pink, 110 brown, 382 white

B) 127 pink, 113 brown, 377 white

C) 128 pink, 112 brown, 382 white

D) 128 pink, 114 brown, 380 white

E) 311 pink, 108 brown, 203 white

Answer: D

Diff: 2 Type: MC Page Ref: 82-87 Topic: 2.7 Solving Word Problems

186) Following equation is used in carbon dating of the artefacts:

$$N = N_0 \times e^{\frac{-t}{\tau}}$$

where,

N = Decay rate of the artefact, expressed as disintegrations per minute (dpm)

 N_0 = Decay rate of natural carbon = 14 dpm

$$\tau$$
 = Mean life time = $\frac{\text{Half-life of C-14}}{\ln 2} = \frac{5730}{\ln 2} = 8267 \text{ years}$

t = Age of the artefact

Calculate the age of the artefact, if the decay rate of the artefact is measured as 4 dpm.

$$N = N_0 \times e^{\frac{-t}{\tau}}$$

$$\Rightarrow \frac{N}{N_0} = e^{\frac{-t}{\tau}}$$

$$\Rightarrow \ln\left(\frac{N}{N_0}\right) = \frac{-t}{\tau}\ln(e)$$

$$\Rightarrow t = -\tau \times \ln\left(\frac{N}{N_0}\right) \quad \text{because } \ln(e) = 1$$

Plugging the values in the above equation, we get: $t = -8267 \times ln \left(\frac{4}{14}\right)$

$$t = -8267 \times \ln\left(\frac{4}{14}\right)$$

$$\Rightarrow$$
 t = -8267 × -1.253

$$\Rightarrow$$
 t = 10357

Age of the artefact is 10,357 years

Type: SA Page Ref: 63-69 Diff: 3

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

187) Following equation is used in carbon dating of the artefacts:

$$N = N_0 \times e^{\frac{-t}{\tau}}$$

where,

N = Decay rate of the artefact, expressed as disintegrations per minute (dpm)

 N_0 = Decay rate of natural carbon = 14 dpm

$$\tau$$
 = Mean life time = $\frac{\text{Half-life of C-14}}{\ln 2}$ = $\frac{5730}{\ln 2}$ = 8267 years = 8267 years

t = Age of the artefact

What is the expected decay rate of the artefact, if it is known to be from Canadian New France era, 350 years ago?

Answer:
$$N = N_0 \times e^{\frac{-t}{\tau}}$$
Plugging the values in

Plugging the values in the above equation, we get

$$N = 14 \times e^{\frac{-350}{8267}} = 14 \times 0.959 = 13.4 \text{ dpm}$$

Diff: 2 Type: SA Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

188) Find b, if
$$e^{-4b} = 0.25$$

- A) -0.0625
- B) -1.386
- C) -0.347
- D) 0.347
- E) -0.229

Answer: D

Diff: 2 Type: MC Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

189) Calculate
$$ln(200e^{(-4 \times 0.29)})$$

- A) -1.16
- B) 0.06
- C) 6.458
- D) 4.138
- E) 198.84

Answer: D

Diff: 2 Type: MC Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

190) Calculate
$$\ln \left[900 \left(\frac{1.025 - 30}{0.025} \right) \right]$$

A) 9.75

B) 17162

C) 2653.29

D) 10.52

E) 11.23

Answer: A

Diff: 2 Type: MC Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

191) In the following equation:

$$PV_n = PMT \left[\frac{1 - (1 + i)^{-n}}{i} \right]$$

calculate n, if $PV_n = 75,000$; PMT = 3500; i = 0.028

Answer: Plugging the values in the above equation:

$$75000 = 3500 \left[\frac{1 - 1.028^{-1}}{0.028} \right]$$

 \Rightarrow 0.6 = 1 - 1.028⁻ⁿ

 $\Rightarrow 1.028^{-n} = 0.4$

 \Rightarrow -n ln(1.028) = ln (0.4)

 \Rightarrow -n(0.027615) = -0.916291

 \Rightarrow n = 33.180706

Diff: 2 Type: SA Page Ref: 63-69

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

192) Evaluate
$$\ln \left(20 \frac{300}{1.09} \right)$$

A) 5505

B) 8.613

C) 112.35

D) 104.66

E) 8.786

Answer: B

Diff: 2 Type: MC Page Ref: 63-69 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

193) Simplify:
$$\left(\frac{3^3 \times 3^7}{3^{10}}\right)^{12}$$

- A) 3
- B) 0.333
- C) 531,441
- D) 0.0000188
- E) 1

Answer: E

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

- 194) Simplify: $(2 + 0.025)^3$
- A) 8.000015625
- B) 8
- C) 8.304
- D) 11.39
- E) 91.125

Answer: C

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

- 195) Evaluate: $[(-2)^3]^5$
- A) 32768
- B) -32768
- C) -40
- D) 256
- E) -30

Answer: B

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

196) Simplify
$$\left(\frac{1+n}{2}\right)^3$$

A)
$$\frac{1}{8} + n^3$$

B)
$$\left(\frac{1}{2} + n\right)^3$$

$$C)\left[\frac{1}{2} + \frac{n}{2}\right]^3$$

D)
$$\frac{(1+n)^3}{8}$$

$$E)\left(\frac{1+n}{2}\right)^3$$

Answer: D

Diff: 1 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

197) Evaluate
$$\left(\sqrt[27]{341}\right)^{27}$$

A) 341

B) 13

C) 1.24

D) 27

E)
$$\frac{1}{347^{27}}$$

Answer: A

Diff: 1 Type: MC Page Ref: 61-64

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

198) Evaluate $5000(1 + 0.11)^5$

A) 0.08

B) 5000

C) 8425.29

D) 5281.12

E) 25000

Answer: C

Diff: 1 Type: MC Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

199) Evaluate:
$$1862.14 \left[\frac{1 - (1 + 0.0125)^{-12}}{0.0125} \right]^{-1}$$

Answer:

$$1862.14 \left[\frac{1 - (1 + 0.0125)^{-12}}{0.0125} \right]^{-1}$$

$$= 1862.14 \left[\frac{1 - (1.0125)^{-12}}{0.0125} \right]^{-1}$$

$$= 1862.14 \left[\frac{0.1385}{0.0125} \right]^{-1}$$

= 168.07

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

200) Evaluate: \$5000
$$\left[\frac{1 - (1 + 0.05)^{-1000}}{0.05} \right]$$

Answer:
$$\$5000 \left[\frac{1 - (1 + 0.05)^{-1000}}{0.05} \right]$$

$$=\frac{$5000}{0.05}$$
 = \$100,000

Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

201) Evaluate:
$$\frac{ln\left(1 + \frac{0.0064 \times 100000}{250}\right)}{ln(1.0064)}$$

$$\frac{ln\left(1 + \frac{0.0064 \times 100000}{250}\right)}{ln(1.0064)}$$

$$=\frac{1.26976}{0.00638}$$

= 199

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

202) Evaluate:
$$\frac{27370}{\left[\frac{1 - (1 + 0.005)^{-30}}{0.005}\right](1 + 0.005)}$$

Answer:

$$\frac{27370}{\left[\frac{1 - (1 + 0.005)^{-30}}{0.005}\right] (1 + 0.005)}$$

$$= \frac{27370}{0.005}$$

= 979.84

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

203) Simplify:
$$(a + b + c)(a^2 + b^2 + c^2 - ab - bc - ca)$$

Answer:
$$(a + b + c)(a^2 + b^2 + c^2 - ab - bc - ca)$$

$$= a(a^2 + b^2 + c^2 - ab - bc - ca) + b(a^2 + b^2 + c^2 - ab - bc - ca) + c(a^2 + b^2 + c^2 - ab - bc - ca)$$

$$= a^3 + ab^2 + ac^2 - a^2b - abc - ca^2 + ba^2 + b^3 + bc^2 - ab^2 - b^2c - abc + ca^2 + b^2c + c^3 - abc - bc^2 - ac^2$$

$$= a^3 + b^3 + c^3 - 3abc$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

204) Simplify:
$$(a + b)^3$$

Answer: $(a + b)^3$

$$=(a+b)(a+b)^2$$

$$= (a + b)(a^2 + 2ab + b^2)$$

$$= a^3 + 3a^2b + 3ab^2 + b^3$$

Diff: 1 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

205) Simplify:
$$7x - (5x - 4y) - (6x + 8y - 5x)$$

A)
$$x - 4y$$

C)
$$x + 12y$$

D)
$$3x + 12y$$

Answer: A

Diff: 1 Type: MC Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

206) Simplify: $x - 2y - [4x - 6y - \{3x - z + 2(2x - 4y + z)\}]$

Answer: $x - 2y - [4x - 6y - \{3x - z + 2(2x - 4y + z)\}]$

$$= x - 2y - [4x - 6y - \{3x - z + 4x - 8y + 2z\}]$$

$$= x - 2y - [4x - 6y - \{7x + z - 8y\}]$$

$$= x - 2y - [4x - 6y - 7x - z + 8y]$$

$$= x - 2y - [-3x + 2y - z]$$

$$= x - 2y + 3x - 2y + z$$

$$=4x-4y+z$$

Diff: 2 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

207) Solve:
$$2x + 5 = 7$$

A)
$$x = 1$$

B)
$$x = 6$$

C)
$$x = 2$$

D)
$$x = 4$$

E)
$$x = \frac{1}{2}$$

Answer: A

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

208) Solve:
$$8x - 11 = 5x + 4$$

A)
$$x = -\frac{7}{3}$$

B)
$$x = -\frac{7}{13}$$

C)
$$x = 5$$

D)
$$x = 15$$

E)
$$x = 4$$

Answer: C

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

209) Solve:
$$0.5x - 0.75 + 9x = 5x + 1.5$$

A)
$$x = 0.05$$

B)
$$x = 0.155$$

C)
$$x = -0.5$$

D)
$$x = 0.5$$

E)
$$x = 0.55$$

Answer: D

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

210) Solve: y = 192 + 0.04y

A)
$$y = 184.62$$

B)
$$y = 192$$

C)
$$y = 200$$

D)
$$y = 320$$

E)
$$y = 137.14$$

Answer: C

Diff: 1 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

211) Solve and find the value of a, given 3a + 4(15-2a) = 20

A)
$$a = \frac{16}{3}$$

B)
$$a = 7$$

C)
$$a = 5$$

D)
$$a = -1$$

E)
$$a = 8$$

Answer: E

Diff: 2 Type: MC Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

212) Solve and find the value of y, given 3(1 - 2y) + 5y = 5

Answer: 3(1 - 2y) + 5y = 5

$$\Rightarrow$$
 -y + 3 = 5

$$\Rightarrow$$
 $y = -2$

Diff: 1 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

213) Solve:
$$\frac{x}{1 + 0.11 \times \frac{175}{365}} + 2x \left[1 + 0.11 \times \frac{190}{365} \right] = \$115.10$$

$$\frac{x}{1 + 0.11 \times \frac{175}{365}} + 2x \left[1 + 0.11 \times \frac{190}{365} \right] = \$115.10$$

$$\Rightarrow \frac{x}{1.05274} + 2.11452x = $115.10$$

$$\Rightarrow$$
 3.06442x = \$115.10

$$\Rightarrow x = $37.56$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

214) Solve:
$$x \left[1 + 0.09 \times \frac{180}{365} \right] + 2x \left[1 + 0.09 \times \frac{85}{365} \right]^{-1} = $2551.65$$

Answer: $1.04438x + 2x(1.02096)^{-1} = 2551.65

 $\Rightarrow 1.04438x + 1.95894x = 2551.65

 $\Rightarrow x = 849.61

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

215) Solve:
$$x(1.05)^3 + $1000 + \frac{x}{1.05^7} = \frac{$13000}{1.05^2}$$

Answer: 1.157625x + 0.710681x = \$11791.38 - \$1000

$$\Rightarrow x = \frac{\$10791.38}{1.868306}$$

 $\Rightarrow x = 5776.02

Diff: 1 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

216) Solve and find the value of x, given:
$$\frac{3\left(x - \frac{38 - x}{5}\right)}{5} = \frac{3x - 2\left(\frac{38 - x}{5}\right)}{8}$$

- A) x = 20
- B) x = -9
- C) x = 9.02
- D) -17.16
- E) 4.33

Answer: C

Diff: 2 Type: MC Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

- 217) Luxury furniture is promoting a no HST (13%) event for the fall sale. What is the actual selling price for the Sofa before tax shown on your receipt, if the ticket price of the sofa is \$795.00?
- A) \$795.00
- B) \$6,115.38
- C) \$103.35
- D) \$898.35
- E) \$703.54

Answer: E

Diff: 1 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

218) Sobeys sells fruit trays consisting of pineapple and melons. The manager of the fruit department obtains pineapples at a wholesale price of \$2.50 per kg, and melons at \$1.85 per kg. He is required to produce 10 kg of the mixed fruit. What is the maximum weight of pineapple that he can put in the mix in order to have an effective wholesale cost no greater than \$2.00 per kg?

A) 2.31 kg

B) 7.69 kg

C) 4.56 kg

D) 4 kg

E) 5.41 kg

Answer: A

Diff: 2 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

219) Sobeys sells fruit trays consisting of pineapple and melons. The manager of the fruit department obtains pineapples at a wholesale price of \$2.50 per kg, grapes at \$2.15 per kg, strawberries at \$1.50 per kg and melons at \$1.85 per kg. He is required to produce 10 kg of the mixed fruit. He is required to add 2 kg of strawberries and 3 kg of grapes. What is the maximum weight of pineapple that he can put in the mix in order to have an effective wholesale cost no greater than \$2.00 per kg?

Answer: Cost of 2 kg of strawberries = $$1.50 \times 2 = 3.00

Cost of 3 kg of grapes = $$2.15 \times 3 = 6.45

Total cost of the mixed fruit = $$2 \times 10 = 20

Cost of pineapple and melons = $$20 - ($3 + $6.45) = $10.55 \Rightarrow 2.5p + 1.85m = 10.55$

Maximum weight of pineapple and melons = 10 - (2 + 3) = 5kg

 \therefore 2.5p + 1.85(5-p) = 10.55

 \Rightarrow 0.65p + 9.25 = 10.55

$$\Rightarrow p = \frac{10.55 - 9.25}{0.65} = 2$$

: Maximum weight of pineapple = 2 kg

Diff: 2 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

220) ABC financial has introduced a stock option incentive program. For a total of 301,375 options, each of the 3 executives receives twice as many options as the senior managers. Each senior manager receives twice the options as each of the middle managers and each of the middle managers receives 1.5 times the options as each of the employee. If there are 25 senior managers, 75 middle managers and 1000 employees, how many options will the each executive receive?

A) 250

B) 375

C) 750

D) 1500

E) 4500

Answer: D

Diff: 2 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

221) Sleep Inc. reduced the price of the Sealy mattress by 20% for a spring sale. What was the regular price of the mattress, if the sale price is \$649.95?

A) \$129.99 B) \$779.94

C) \$3,249.75

D) \$812.44

E) \$649.95

Answer: D

Diff: 1 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

222) Blue Mountain resort charges \$39 for a single ticket for high ropes and \$29 for a single ticket for low ropes. If a day's total revenue from the sale of 540 passes is \$18,910, how many tickets were sold for high ropes?

Answer: 39HR + 29(540 - HR) = 18910

$$\Rightarrow HR = \frac{18910 - 29 \times 540}{39 - 29} = 325$$

325 tickets were sold for high ropes

Diff: 3 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

223) Age difference between my son and me is 30 years. Sum of our ages is 54. What is my age now?

A) 12

B) 42

C) 38

D) 45

E) 15

Answer: B

Diff: 1 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

224) Transpipe owns 47% ownership stake in BP. Cameo owns a 29% stake in the BP. Suppose Transpipe sells 62.5% of its stake for \$47 Million. If Comeo uses that transaction as the basis for calculating the value of its own 29% position, what value will Cameo obtain?

A) \$18.1 Million

B) \$46.4 Million

C) \$16 Million

D) \$47 Million

E) \$29 Million

Answer: B

Diff: 2 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

225) Simplify: -(3a + 7ab - 5) - (12 + 6ab - 5a)

Answer: = -3a - 7ab + 5 - 12 - 6ab + 5a = 2a - 13ab - 7

Diff: 4 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

226) Simplify: $(x + 4)(2x^2 - 9x + 3)$

Answer: $2x^3 - 9x^2 + 3x + 8x^2 - 36x + 12 = 2x^3 - x^2 - 33x + 12$

Diff: 4 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

227) Simplify: -r(4t - 8s) - 5s(12r + 2t)

Answer: -4rt + 8rs - 60rs - 10st = -4rt - 52rs - 10st

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

228) Solve:
$$\frac{1}{3}(6x^2 + x - 1) - \frac{1}{2}(2x^2 - 12x + 4)$$
 for $x = 7$

Answer:
$$\frac{1}{3}[6(7)^2 + 7 - 1] - \frac{1}{2}[2(7)^2 - 12(7) + 4]$$

$$=\frac{1}{3}(294+7-1)-\frac{1}{2}(98-84+4)$$

$$=\frac{1}{3}(300)-\frac{1}{2}(18)$$

= 91

Diff: 3 Type: SA Page Ref: 44-49

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

229) Simplify: $2^9 \div 2^3 \times 2^4$

- A) 2^2
- B) 2^{8}
- C) 2^{7}
- D) 2^{10}

Answer: D

Diff: 2 Type: MC Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

230) Simplify:
$$\left(\frac{1}{8}\right)^5 \div \left(\frac{1}{8}\right)^2 \div \frac{1}{8}$$

Answer:
$$\left(\frac{1}{8}\right)^{(5-2-1)} = \left(\frac{1}{8}\right)^2 = \frac{1}{64}$$

Diff: 3 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

231) Expand: $(3xyz)^3$

Answer: $3^{3x}3y^{3}z^{3} = 27x^{3}y^{3}z^{3}$

Diff: 3 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

232) Solve: 635241(1093)⁰

Answer: 635241(1093)⁰

= 635241 × 1

= 635241

Diff: 2 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

233) Simplify: $\left(\frac{x}{(x+2)}\right)^{-2}$

Answer: $\left(\frac{x}{(x+2)}\right)^{-2}$

 $=(x+2)2/x^2$

 $=(x^2+4x+4)/x^2$

 $= 1 + (4/x) + (4/x^2)$

Diff: 4 Type: SA Page Ref: 51-58

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

234) Calculate: $\sqrt{4489}$

Answer: 67

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

1

235) Calculate: $\sqrt[4]{1296}$

Answer: 6

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

236) Calculate up to 4 decimals: $\sqrt[7]{4321}$

Answer: 3.3065

Diff: 3 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

237) Calculate: (5489031744)1/6

Answer: 42

Diff: 4 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

238) Calculate with final answer in fractional form: 390625-1/8

Answer: $\frac{1}{5}$

Diff: 4 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

239) Calculate up to 4 decimals: 4826809^{1/6}

Answer: 13

Diff: 4 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving

fractional exponents.

240) Express in logarithmic form: $8^{-3} = \frac{1}{512}$

Answer: $\log_8 \frac{1}{512} = -3$

Diff: 3 Type: SA Page Ref: 63-67

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

241) Express in logarithmic form: $e^{4x} = 20$

Answer: $4x = \ln 20$

 $x = \ln 20 \frac{1}{4}$

Diff: 4 Type: SA Page Ref: 63-67

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

242) Express in exponential form: $log_3(243) = 5$

Answer: $3^5 = 243$

Diff: 2 Type: SA Page Ref: 63-67

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

243) Express in exponential form: $log_{-4}(4096) = 6$

Answer: $(-4)^6 = 4096$

Diff: 3 Type: SA Page Ref: 63-67 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

244) Calculate up to 4 decimal places: ln 16

Answer: 2.7726

Diff: 3 Type: SA Page Ref: 63-67 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

245) Calculate up to 4 decimal places: $ln [400(\frac{1.5}{45})]$

Answer: 2.5903

Diff: 5 Type: SA Page Ref: 63-67 Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

246) Solve for x: x + 14 = -7

Answer: x = -7 - 14 = -21

Diff: 2 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

247) Solve for x: -5x = 8 - 4x

Answer: -4x + 5x = 8

x = 8

Diff: 2 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

248) Solve for
$$x$$
: $2x - 1.5x = 410$

Answer: 0.5x = 410

x = 820

Diff: 3 Type: SA Page Ref: 71-75 Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

249) Solve for *x*:
$$-\frac{1}{7}x = 8$$

Answer:
$$(-7) - \frac{1}{7}x = 8(-7)$$

x = -56

Diff: 3 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

250) Solve for x: -6x = 486 + 3x

Answer: -9x = 486

x = -54

Diff: 3 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

251) Solve for x and check your answer: 8x + 14 = 12x + 22

Answer: 14 - 22 = 12x - 8x

-8 = 4x

-2 = x

Check:

$$8(-2) + 14 = 12(-2) + 22$$

$$-16 + 14 = -24 + 22$$

-2 = -2

Diff: 4 Type: SA Page Ref: 71-75

Topic: 2.5 Solving Basic Equations

Objective: 2-5: Solve basic equations using addition, subtraction, multiplication, and division.

252) Solve for y: -2y + 8(2y - 3) = -5(4 + y) - (-12y - 10)

Answer:
$$-2y + 16y - 24 = -20 - 5y + 12y + 10$$

$$14y - 24 = 7y - 10$$

$$7y = 14$$

$$y = 2$$

Diff: 2 Type: SA Page Ref: 77-81

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

253) Solve for
$$x: \frac{5}{2}x - \frac{3}{4}x = \frac{14}{8}$$

Answer:
$$(8)\frac{5}{2}x - (8)\frac{3}{4}x = (8)\frac{14}{8}$$

$$4(5x) - 2(3x) = 14$$

$$14x = 14$$

$$x = 1$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

254) Solve for
$$x$$
: $x + \frac{3}{8}x = 22$

Answer:
$$(8)x + (8)\frac{3}{8}x = (8)22$$

$$11x = 176$$

$$x = 16$$

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

255) Solve for *x* (answer will be a decimal) $\frac{5}{6}(x + 2) - \frac{1}{3}(2x + 2) = \frac{2}{8}$

Answer: $(24)\frac{5}{6}(x+2) - (24)\frac{1}{3}(2x+2) = (24)\frac{2}{8}$

(4)(5)(x+2) - 8(2x+2) = 3(2)

20(x+2) - (16x - 16) = 6

4x = -50

x = 12.5

Diff: 4 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

256) Rearrange for r: $A = \pi r^2$

Answer: $\frac{A}{\pi} = r^2$

$$\sqrt{\frac{A}{\pi}} = \mathbf{r}$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

257) Rearrange for *b*: $a^2 + b^2 = c^2$

Answer: $b^2 = c^2 + a^2$

$$b = \sqrt{(c^2 + a^2)}$$

Diff: 3 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

258) Rearrange for
$$c$$
: $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

Answer: $2ax = -b \pm \sqrt{b^2 - 4ac}$

$$2ax + b = \sqrt{b^2 - 4ac}$$

$$(2ax + b)^2 = b^2 - 4ac$$

$$4a^{2x^2} + 4abx + b^2 = b^2 - 4ac$$

$$4a^{2x^2} + 4abx + b^2 - b^2 = -4ac$$

$$-4a^{2x^2} - 4abx = 4ac$$

$$\frac{-4a^2x^2}{4a} - \frac{-4abx}{4a} = \frac{4ac}{4a}$$

$$-ax^2 - bx = c$$

Diff: 5 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

259) A smartphone was being sold for \$660 while on sale. If the price dropped by 20% for the sale, what was the original price of the smartphone?

Answer: Let x represent the original smartphone's price

Since a 20% drop in price equates to $\frac{1}{5}$, $(x - \frac{1}{5}x)$ can represent the sale price

$$x - \frac{1}{5}x = 660$$

$$\frac{4}{5}x = 660$$

$$x = \frac{4}{5}(660)$$

$$x = 825$$

Diff: 3 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

260) Carlos went to the mall to buy toys for his children and nephews with a total of \$1300. After he was done shopping, he had \$400 left in his account. Carlos's expenditure on doll sets was \$100 less than four times the amount he spent on toy cars. How much money did Carlos spend on doll sets?

Answer: Let x represent Carlos's expenditure on toy cars. Consequently, the expenditure on doll sets can be represented with the expression 4x - 100. Since Carlos started with \$1300 and was left with \$400, we can assume he spent \$900 at the mall. From this info, we can create the equation:

$$x + 4x - 100 = 900$$

$$5x = 1000$$

$$x = 200$$

Diff: 4 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

261) Usually, Bob's Burgers sells x burgers for p dollars each. But today, the price was lowered by 22% and as a result, 60% more burgers were sold. Which of the below represents the revenue for today's burger sales, in dollars?

A) 0.6x - 0.22p

B) 1.15*xp*

C) 1.248xp

D) 1.455xp

Answer: C

Diff: 2 Type: MC Page Ref: 81-84 Topic: 2.7 Solving Word Problems

262) Sony has been producing 1710 VR headsets a day through two work shifts. The second shift has produced 90 fewer headsets than seven-fifths of the number of headsets produced by the first shift. What is the number of VR headsets produced by the second shift in a day?

Answer: Let x represent the number of VR headsets produced by the first shift. Consequently, the number of VR headsets made by the second shift can be represented through the expression $\frac{7}{5}x$ - 90.

Since 1675 headsets are produced daily, the equation formed is:

$$x + \frac{7}{5}x - 90 = 1710$$

$$\frac{12}{5}x = 1620$$

$$x = \frac{5}{12}(1620)$$

$$x = 675$$

Diff: 4 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

263) Old Navy had \$940 worth of orders for shirts. The prices for the shirts were categorized by style: \$10 for tank tops, \$14 for graphic tees, and \$22 for polos. The number of polos ordered was one more than half the number of graphic tees, and the number of graphic tees ordered was eight less than twice the number of tank tops. Determine the number of each type of shirt ordered.

Answer: Let x represent the number of tank tops, let 2x - 8 represent the number of graphic tees sold, and let $\frac{1}{2}(2x - 8) + 1$ represent the number of polos sold. Taking the price and the value of the combined

orders into consideration, the equation is as follows:

$$10x + 14(2x - 8) + 22\left[\frac{1}{2}(2x - 8)\right] = 940$$

$$10x + 28x - 112 + 22[x - 4] = 940$$

$$38x + 22x - 88 = 1052$$

$$60x = 1140$$

$$x = 19$$

2(19) - 8 = 30 Graphic Tees

$$\frac{1}{2}$$
2(19) - 8] + 1 = 16 Polos

Diff: 5 Type: SA Page Ref: 81-84

Topic: 2.7 Solving Word Problems

264) Zain began with three times more money than Max. After Zain gave Max \$18, Zain still had \$6 more than Max. How much money do they have altogether?

Answer: Let x represent the amount of money Brock has to start (3x represents Zain)

$$2x - 18 = x + 6 + 18$$

$$2x - 18 = x + 24$$

$$2x - x = 42$$

$$x = 42$$

$$3x = 3(42) = 126$$

Diff: 3 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

265) The rapper Drake hosts a concert at the Air Canada Center, where the ticket price is \$240. However, the price of the individual ticket includes the 13% HST. What is the original price of the ticket, excluding the HST?

Answer: Let *x* represent the price of a concert ticket, excluding HST

$$1.13x = 240$$

$$x = \frac{240}{1.13}$$

$$x = 212.39$$

Diff: 2 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

266) At the beginning of the Toronto FC game, $\frac{2}{3}$ of the stadium's seats were full. At halftime, 1000

spectators left, leaving only $\frac{3}{7}$ of the seats full. In total, how many seats are in the stadium?

Answer: Let x represent the total number of seats in the stadium

$$\frac{2}{3}x - 1000 = \frac{3}{7}x$$

$$\frac{2}{3}x - \frac{3}{7}x = 1000$$

$$\frac{3}{21}x - \frac{2}{21}x = 1000$$

$$\frac{1}{21}x = 1000$$

$$x = 21~000$$

Diff: 3 Type: SA Page Ref: 81-84 Topic: 2.7 Solving Word Problems

267) Calculate the answer in fractional form: $625^{-1/2}$

Answer:
$$\frac{1}{\frac{1}{2}} = \frac{1}{25}$$

Diff: 2 Type: SA Page Ref: 59-62

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

268) Shannon's Bookstore is having a "Save the Tax" (no HST 13%) event for the fall sale. What is the final sale price of a book (rounded to the nearest cent), if, including HST, the book would be sold for \$17.50?

A) \$15.49

B) \$14.59

C) \$19.78

D) \$15.48

E) \$2.28

Answer: A

Diff: 1 Type: MC Page Ref: 82-87 Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

269) Cedar Park Resort charges \$13 for a one adult general admission ticket (excluding large waterslides), and \$20 for one waterslides admission ticket. If the total revenue for one day in which 354 tickets were sold is \$4728, how many waterslides admission tickets were sold?

Answer: Let *w* represent the number of waterslide admission tickets that were sold.

20w + 13(354 - w) = 4728

20w + 4602 - 13w = 4728

7w = 126

w = 18

18 large waterslides admission tickets

Diff: 2 Type: SA Page Ref: 82-87

Topic: 2.7 Solving Word Problems

Objective: 2-7: Solve word problems by creating and solving equations.

270) Simplify: -8(4a)

Answer: -32a

Diff: 1 Type: SA Page Ref: 46-53

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

271) Simplify: -10(8a - b) + 3(-2a + 11b)

Answer: -80a + 10b - 6a + 33b = -86a + 43b

Diff: 2 Type: SA Page Ref: 46-53

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

272) Evaluate
$$y$$
: $y = (1/8)(4x^2 - 2x - 5) + \frac{1}{4}(6 + 5x + 6x^2)$ for $x = -2$

Answer: =
$$(1/8)[4(-2)^2 - 2(-2) + 12] + \frac{1}{4}[6 + 5(-2) + 6(-2)^2]$$

$$=(1/8)(16+4+12)+\frac{1}{4}(6-10+24)$$

$$= (1/8)(32) + \frac{1}{4}(20)$$

=4+5

= 9

Diff: 2 Type: SA Page Ref: 46-53

Topic: 2.1 Simplification of Algebraic Expressions

Objective: 2-1: Simplify algebraic expressions using fundamental operations and substitution.

273) Evaluate: (-4)⁻³

Answer: -1/64

Diff: 2 Type: SA Page Ref: 53-61

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

274) Simplify: $\frac{(x^4)(x^7)}{x^6}$

Answer: $x^{11}/x^6 = x^5$

Diff: 2 Type: SA Page Ref: 53-61

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

275) Simplify: $2.0079^{320} \div 2.0079^{307}$

Answer: $2.0079^{320} - 307 = 2.0079^{13} = 8622.77465$

Diff: 2 Type: SA Page Ref: 53-61

Topic: 2.2 Integral Exponents

Objective: 2-2: Simplify and evaluate powers with positive exponents, negative exponents, and exponent zero.

276) Compute the value of $\frac{2 - 2.14^{-12}}{0.009}$

Answer: $\frac{2 - 0.00108401}{0.009} = \frac{1.999891599}{0.009} = 222.2101776$

Diff: 3 Type: SA Page Ref: 61-64

Topic: 2.3 Fractional Exponents

Objective: 2-3: Use an electronic calculator to compute the numerical value of arithmetic expressions involving fractional exponents.

277) Express in exponential form: $\log_8 \frac{1}{512} = -3$

Answer: $\log_8 \frac{1}{512} = -3 \rightarrow 8^{-3} = \frac{1}{512}$

Diff: 2 Type: SA Page Ref: 64-70

Topic: 2.4 Logarithms - Basic Aspects

Objective: 2-4: Write exponential equations in logarithmic form and use an electronic calculator equipped with a natural logarithm function to determine the value of natural logarithms.

278) Solve: $3x - \frac{2x}{3} = \frac{x}{6} + 2$

Answer: $3x - \frac{2x}{3} = \frac{x}{6} + 2$

 $6(3x) + 6(\frac{2x}{3}) = 6(\frac{x}{6}) + 6(2)$

18x + 4x = x + 12

18x + 4x - x = 12

x = 0.57

Diff: 2 Type: SA Page Ref: 76-79

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

279) Solve: $\frac{a-b+c}{a} = \frac{d}{c}$ for a

Answer: $\frac{a-b+c}{a} = \frac{d}{c}$

c(a - b + c) = ad

 $ac - bc + c^2 = ad$

 $c^2 - bc = ad - ac$

 $c^2 - bc = a(d - c)$

 $a = \frac{c^2 - bc}{d - c}$

Diff: 3 Type: SA Page Ref: 77-81

Topic: 2.6 Solving Equations Involving Algebraic Simplification

Objective: 2-6: Solve equations involving algebraic simplification and formula rearrangement.

280) After a reducing the price of a TV by $\frac{2}{21}$ of the original selling price, the TV was sold for \$810.00.

Determine the original selling price.

Answer: Let the regular price be x.

Then reduction in price is $\frac{2}{21}x$

$$x - \frac{2}{21}x = 810$$

$$\frac{19}{21}x = 810$$

$$x = 810 \left(\frac{21}{19} \right)$$

$$x = 895.26$$

The original selling price was \$895.26

Diff: 2 Type: SA Page Ref: 82-87

Topic: 2.7 Solving Word Problems