Exam

Name_____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Solve the problem.

 The height of a baseball (in feet) at time t (in seconds) is given by y = -16x² + 80x + 5. Which one of the following points is not on the graph of the equation? 			1)		
A) (1, 69)		B) (4, 69)	C) (2, 117)	D) (3, 101)	
Answer: C					
Explanation:	A)				
•	B)				
	C)				
	D)				
Find the slope-intercept for	rm of the ec	uation of the line with t	he given properties.		2)
$\frac{2}{3000} = 0, \text{ contains}$	пппу пе ро 5	(-2, -7) B) y = 6y + 5	(C) y = 6x = 5	D) $y = -6x + 5$	2)
$\frac{1}{y} = -0x - x$	5	D) $y = 0x + 3$	C) y = 0x - 3	D = -0x + 3	
Answer: B	A)				
Explanation:	A) D)				
	Б) С)				
	C)				
	D)				
Find the midpoint of the lin	ne segment	joining the points P ₁ an	d P ₂ .		
3) P ₁ = (0.5, -0.8);	$P_2 = (1.3, -2)$	2.7)			3)
A) (0.9, -1.75))	B) (-1.75, 0.9)	C) (-0.95, 0.4)	D) (0.4, -0.95)	
Answer: A					
Explanation:	A)				
I	B)				
	C)				
	D)				
List the intercepts for the g	raph of the	equation.			
4) x ² + y - 16 = 0					4)
A) (-4, 0), (0,	-16), (4, 0)		B) (4, 0), (0, 16), (0, -16)		
C) (0, -4), (16	6, 0), (0, 4)		D) (-4, 0), (0, 16), (4, 0)		
Answer: D					
Explanation:	A)				
	B)				
	C)				
	D)				

Find the general form of the equation for the line with the given properties.

List the intercepts of the graph.Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.

A) intercept: (0, 2)symmetric with respect to origin C) intercept: (2, 0)symmetric with respect to x-axis Answer: B Explanation: A) B) C) D)

6)

B) intercept: (0, 2) symmetric with respect to y-axis
D) intercept: (2, 0) 6)

symmetric with respect to y-axis

Solve.

- 7) Each month a beauty salon gives x manicures for \$12.00/manicure. The cost to the owner of the beauty salon for each manicure is \$7.35. The monthly fixed cost to maintain a manicure station is \$120.00. Write an equation that relates the monthly profit, in dollars, to the number of manicures given each month. Then use the equation to find the monthly profit when 200 manicures are given in a month.
 - A) P = 4.65x 120; \$810 C) P = 7.35x - 120; \$1350 Answer: A Explanation: A) B) C) D) B) C) D)

Graph the line containing the point P and having slope m.





8)



Graph the equation by plotting points.



List the intercepts and type(s) of symmetry, if any.

12) $y^2 = -x + 4$					12)
A) intercepts: (0, -4), (2, 0), (-2, 0) symmetric with respect to y-axis			B) intercepts: (4, 0), (symmetric with re		
C) intercepts: (0, 4), (2, 0), (-2, 0) symmetric with respect to y-axis		D) intercepts: (-4, 0), symmetric with re			
Answer: B					
Explanation:	A)				
	B)				
	C)				
	D)				
List the intercepts for the gra	aph of th	e equation.			
13) $y = x^3 - 8$					13)
A) (0, -8), (2, 0))	B) (0, -2), (0, 2)	C) (-8, 0), (0, 2)	D) (0, -2), (-2, 0)	
Answer: A					
Explanation:	A)				
	B)				
	C)				

Solve.

14) A vendor has learned that, by pricing caramel apples at \$1.00, sales will reach 119 caramel apples 14) per day. Raising the price to \$1.75 will cause the sales to fall to 83 caramel apples per day. Let y be the number of caramel apples the vendor sells at x dollars each. Write a linear equation that relates the number of caramel apples sold per day to the price x.

A) $y = -\frac{1}{48}x + \frac{5711}{48}$	 1 5	B) y = -48x - 167
C) y = -48x + 167		D) y = 48x + 71
Answer: C Explanation: A)		

C) D)

B)

D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

15) $P_1 = (-3, -2); P_2 = (1, 4)$ 15) C) 20√5 D) 2√13 A) 20 B) 2 Answer: D Explanation: A) B) C) D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

16)

18)

16) $4x^2 + 9y^2 = 36$ A) origin B) y-axis C) x-axis D) x-axis, y-axis, origin E) none Answer: D Explanation: A) B) C) D) E)

Solve the problem.

17) If a satellite is placed in a circular orbit of 420 kilometers above the Earth, what is the equation of17) the path of the satellite if the origin is placed at the center of the Earth (the diameter of the Earth is approximately 12,740 kilometers)?

A)
$$x^2 + y^2 = 176,400$$

C) $x^2 + y^2 = 40,576,900$
Answer: D
Explanation: A)
B)
C)
D)
B)
C)
D)

Write the equation in slope-intercept form.

18) 6x + 7y = 1

A) $y = \frac{6}{7}x + \frac{1}{7}x$	<u>1</u> 7	B) $y = \frac{7}{6}x - \frac{1}{6}$	C) $y = \frac{12}{7}x + \frac{1}{7}$	D) y = 6x + 12
Answer: A				
Explanation:	A)			
	B)			
	C)			
	D)			

Find the general form of the equation of the the circle.

19) Center at the point (-4, -3); containing the point (-3, 3)

A) $x^2 + y^2 + 6x - 6y - 17 = 0$ C) $x^2 + y^2 - 6x + 6y - 12 = 0$ Answer: D Explanation: A) B) C) D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

20) $y^2 - x - 81 = 0$ A) origin B) x-axis C) y-axis D) x-axis, y-axis, origin E) none Answer: B Explanation: A) B) C) D) E)

Find the slope of the line and sketch its graph.

21)
$$4x - 5y = 2$$

21)

19)



A) slope = 2; y-intercept = 3

C) slope = -2; y-intercept = -3

Answer: A

Explanation: A) B) C) D) B) slope = 3; y-intercept = 2 D) slope = $\frac{1}{2}$; y-intercept = - 3





Solve the problem.

24) A wildlife researcher is monitoring a black bear that has a radio telemetry collar with a transmitting range of 30 miles. The researcher is in a research station with her receiver and tracking the bear's movements. If we put the origin of a coordinate system at the research station, what is the equation of all possible locations of the bear where the transmitter would be at its maximum range?

A) $x^2 + y^2 = 3$	0	B) $x^2 - y^2 = 30$	C) $x^2 + y^2 = 900$	D) $x^2 + y^2 = 60$
Answer: C				
Explanation:	A)			
	B)			
	C)			
	D)			
Explanation:	A) B) C) D)			

Find the slope of the line through the points and interpret the slope. 25)



A) -2; for every 1-unit increase in x, y will decrease by 2 units

B) - $\frac{1}{2}$; for every 2-unit increase in x, y will decrease by 1 unit

C) $\frac{1}{2}$; for every 2-unit increase in x, y will increase by 1 unit

D) 2; for every 1-unit increase in x, y will increase by 2 units

Answer: C

Explanation: A) B) C) D)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

26) y = (x - 8)(x - 5)A) x-axis B) origin C) y-axis D) x-axis, y-axis, origin E) none Answer: E Explanation: A) B) C) D) E) 25)

Solve the problem.

 27) If (-2, -2) is the endpoint of a line segment, and (-1, 1) is its midpoint, find the other endpoint.
 27)

 A) (4, 0)
 B) (0, -5)
 C) (-4, -8)
 D) (0, 4)

 Answer: D

 Explanation:
 A)

 B)
 C)
 D)

 D)
 D)
 D)

Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies. 28) (2, -6)







Answer: C Explanation: A) B) C) D)

List the intercepts for the graph of the equation.

29) $4x^2 + 9y^2 = 36$ A) (-4, 0), (-9, 0), (9, 0), (4, 0)C) (-2, 0), (-3, 0), (3, 0), (2, 0)Answer: D Explanation: A) B) C) D)

Find the slope-intercept form of the equation of the line with the given properties.

30) Horizontal; containing the point
$$\left(-\frac{1}{2}, 2\right)$$

A) y = 0 B) y = $-\frac{1}{2}$ C) y = -2 D) y = 2
Answer: D
Explanation: A)
B)
C)
D)

Graph the circle with radius r and center (h, k).



31)



Graph the line containing the point P and having slope m. 32) P = (5, 0); m = -1

$$p = (5, 0); m = -1$$



Solve the problem.

33) A Ferris wheel has a diameter of 320 feet and the bottom of the Ferris wheel is 9 feet above the ground. Find the equation of the wheel if the origin is placed on the ground directly below the cent the wheel, as illustrated.



Find the slope and y-intercept of the line.

35) x + y = -12A) slope = 1; y-intercept = -12 C) slope = -1; y-intercept = -12 Answer: C Explanation: A) B) C) D) 35)

B) slope = -1; y-intercept = 12 D) slope = 0; y-intercept = -12

List the intercepts of the graph.



$\overline{57}$ Find all the points having an x-coordinate of 9 whose distance from the point (3, -2) is 10.					37)
A) (9, -12), (9	9, 8)	B) (9, 2), (9, -4)	C) (9, 13), (9, -7)	D) (9, 6), (9, -10)	_
Answer: D					
Explanation:	A)				
	B)				
	C)				
	D)				

17



Draw a complete graph so that it has the given type of symmetry.









D)





B)



Find the slope and y-intercept of the line.

List the intercepts for the graph of the equation.

43) $4x^2 + y^2 = 4$	
A) (-4, 0), (0, -1), (0, 1), (4, 0)	B) (-1, 0), (0, -2), (0, 2), (1, 0)
C) (-1, 0), (0, -4), (0, 4), (1, 0)	D) (-2, 0), (0, -1), (0, 1), (2, 0)
Answer: B	
Explanation: A)	
B)	
C)	
D)	

Find the slope of the line and sketch its graph.





43)

44) _____



20





45) Perpendicular to the line x - 8y = 7; containing the point (2, 3)

A) y = -8x - 19A) y = -8x - 19Answer: B Explanation: A) B) C) y = 8x - 19B) $y = -\frac{1}{8}x - \frac{19}{8}$ C) y = 8x - 19D) $y = -\frac{1}{8}x - \frac{19}{8}$

Write the standard form of the equation of the circle.

46)



Solve the problem.

47) Find the equation of a circle in standard form with center at the point (-3, 2) and tangent to the 47 — line y = 4.

A) $(x - 3)^2 + (y + 2)^2 = 16$	B) $(x - 3)^2 + (y + 2)^2 = 4$
C) $(x + 3)^2 + (y - 2)^2 = 16$	D) $(x + 3)^2 + (y - 2)^2 = 4$
Answer: D	
Explanation: A)	
B)	
C)	
D)	

Plot the point A. Plot the point B that has the given symmetry with point A.





Decide whether or not the points are the vertices of a right triangle.

49) (-9, 7), (-3, 9), (-4, 4) A) Yes B) No Answer: B Explanation: A) B)

Graph the line containing the point P and having slope m.



25

Find the center (h, k) and radius r of the circle with the given equation.

51) $x^2 + 4x + 4 + y^2 - 10y + 25 = 9$	
A) (h, k) = (-5, 2); r = 9	B) (h, k) = (5, -2); r = 3
C) (h, k) = (2, -5); r = 9	D) (h, k) = (-2, 5); r = 3
Answer: D	
Explanation: A)	
B)	
C)	
D)	

Identify the points in the graph for the ordered pairs.





Find the center (h, k) and radius r of the circle with the given equation. 53) $2(x + 5)^2 + 2(y + 4)^2 = 26$

3) $2(x + 5)^2 + 2(y + 4)^2 = 26$ A) (h, k) = (-5, -4); r = $2\sqrt{13}$ C) (h, k) = (5, 4); r = $2\sqrt{13}$	B) (h, k) = (5, 4); r = $\sqrt{13}$ D) (h, k) = (-5, -4); r = $\sqrt{13}$
Answer: D	
Explanation: A)	
B)	
C)	
D)	

51)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

54) P₁ = (0.6, -0.9); P₂ = (2.6, 1.5) Round to three decimal places, if necessary. A) 3.124 B) 22 C) 3.224 D) 9.879 Answer: A Explanation: A) B) C) D)

Write the equation in slope-intercept form.

55) 4x - 5y = 1A) $y = \frac{4}{5}x - \frac{1}{5}$ B) $y = \frac{5}{4}x + \frac{1}{4}$ C) $y = \frac{4}{5}x + \frac{1}{5}$ D) y = 4x - 1Answer: A Explanation: A) B) C) D)

Solve.

56) Each month a gas station sells x gallons of gas at \$1.92/gallon. The cost to the owner of the gas station for each gallon of gas is \$1.32. The monthly fixed cost for running the gas station is \$37,000. Write an equation that relates the monthly profit, in dollars, to the number of gallons of gasoline sold. Then use the equation to find the monthly profit when 75,000 gallons of gas are sold in a month.

A) P = 1.92x - 37,000; \$107,000B) P = 1.32x - 37,000; \$62,000C) P = 0.60x - 37,000; \$8000D) P = 0.60x + 37,000; \$82,000Answer: CExplanation:A)B)C)D)

Graph the line containing the point P and having slope m.



57)

54)

55)

56)

27



Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies. 58) (3, 0)





Find the center (h, k) and radius r of the circle with the given equation.

59) $(x + 10)^2 + (y - 2)^2 = 121$	
A) (h, k) = (2, -10); r = 121	B) (h, k) = (2, -10); r = 11
C) (h, k) = (-10, 2); r = 121	D) (h, k) = (-10, 2); r = 11
Answer: D	
Explanation: A)	
B)	
C)	
D)	

List the intercepts of the graph.



Determine whether the given point is on the graph of the equation.

61) Equation: $y = x^3 - \sqrt{x}$ Point: (-1, -2) A) No Answer: A Explanation: A) B)

Find an equation for the line with the given properties.

62) Perpendicular to the line $y = \frac{1}{9}x + 3$; containing the point (2, -4) A) y = 9x - 14B) $y = -\frac{1}{9}x - \frac{14}{9}$ Answer: C Explanation: A) B) C) D) (2, -4) (2, -4) (3, -4) (4, -4) (5,

30

61)

Decide whether the pair of lines is parallel, perpendicular, or neither.

63) 3x - 4y = -8	intes is pa	araner, perpendicular,	or hermer.		63)
8x + 6y = -17				`	
A) parallel		B) perpend	licular C) neither	
Answer: B					
Explanation:	A)				
	B)				
	C)				
Find an equation for the lin	ne with the	e given properties.			
64) Perpendicular to	o the line 3	x + 5y = 2; y-intercep	t = 3		64)
A) 5x - 3y =	15	B) 5x - 3y = -9	C) $3x + 5y = 15$	D) $3x + 5y = 9$	
Answer: B					
Explanation:	A)				
	B)				
	C)				
	D)				
Find the slope and y-interc	cept of the	line.			
65) x = 2	·				65)
A) slope = 2;	y-interce	pt = 0	B) slope undefined	l; no y-intercept	
C) slope = 0;	y-interce	pt = 2	D) slope undefined	l; y-intercept = 2	
Answer: B					
Explanation.	A)				
Enprunation	B)				
	C)				
	D)				
	D)				
Solve the problem.					
66) A middle schoo	l's baseball	playing field is a squa	are, 80 feet on a side. How	w far is it directly from	66)
home plate to se	econd base	(the diagonal of the so	uare)? If necessary, rour	id to the nearest foot.	
A) 113 feet		B) 120 feet	C) 112 feet	D) 114 feet	
Answer: A					
Explanation:	A)				
	B)				
	C)				

D)

Find an equation for the line, in the indicated form, with the given properties.

67) Containing the points (6, 0) and (0, -5); general form

B) 5x - 6y = 30 C) $y = -\frac{5}{6}x + 6$ D) $y = -\frac{5}{6}x - 5$ A) 5x + 6y = 30Answer: B Explanation: A) B) C) D) 68) Containing the points (7, -4) and (-5, 9); general form 68) A) 13x + 12y = 43B) -11x + 14y = -71C) -13x + 12y = 43D) 11x - 14y = -71Answer: A **Explanation**: A) B) C) D)

67)

69)

Solve.

69) A vendor has learned that, by pricing pretzels at \$1.75, sales will reach 113 pretzels per day. Raising the price to \$2.50 will cause the sales to fall to 83 pretzels per day. Let y be the number of pretzels the vendor sells at x dollars each. Write a linear equation that relates the number of pretzels sold per day, y, to the price x.

A) y = -40x - 183	B) $y = 40x + 43$
C) y = -40x + 183	D) $y = -\frac{1}{40}x + \frac{18073}{160}$
Answer: C	
Explanation: A)	
B)	
C)	
D)	

Solve the problem.

70) If a graph is sym	¹) If a graph is symmetric with respect to the origin and it contains the point (-4, 7), which of the			
following points	is also on the graph?			
A) (4, 7)	B) (4, -7)	C) (7, -4)	D) (-4, -7)	
Answer: B				
Explanation:	A)			
	B)			
	C)			
	D)			

List the intercepts of the graph.



Find an equation for the line with the given properties.

74) Perpendicular to the line y = -2x - 4; containing the point (-3, 1)

A)
$$y = -\frac{1}{2}x + \frac{5}{2}$$
 B) $y = \frac{1}{2}x + \frac{5}{2}$ C) $y = 2x + \frac{5}{2}$ D) $y = -2x + \frac{5}{2}$

Answer: B Explanation: A)

B) C) D)

Write the standard form of the equation of the circle with radius r and center (h, k). 75) r = $\sqrt{17}$: (h, k) = (-1, 5)

75) $r = \sqrt{17}; (h, k) = (-1, 5)$	
A) $(x - 1)^2 + (y + 5)^2 = 17$	B) $(x - 5)^2 + (y + 1)^2 = 289$
C) $(x + 5)^2 + (y - 1)^2 = 289$	D) $(x + 1)^2 + (y - 5)^2 = 17$
Answer: D	
Explanation: A)	
B)	
C)	
D)	

Find the slope of the line.

76)



C) -6

D) $-\frac{1}{6}$

Answer: D Explanation: A) B) C)

D)

75)

74)

Solve.

77) The average value of a certain type of automobile was \$15,960 in 1991 and depreciated to \$7440 in 77) 1994. Let y be the average value of the automobile in the year x, where x = 0 represents 1991. Write a linear equation that relates the average value of the automobile, y, to the year x.

A) y = -2840x	k + 15,960	B) y = -2840x - 1080
C) $y = -\frac{1}{2840}$	-x - 7440	D) y = -2840x + 7440
Answer: A		
Explanation:	A)	
	B)	
	C)	
	D)	

List the intercepts of the graph.Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these. 78)



- A) intercepts: (-1, 0), (0, 0), (1, 0) symmetric with respect to x-axis, y-axis, and origin
- B) intercepts: (-1, 0), (0, 0), (1, 0) symmetric with respect to origin
- C) intercepts: (-1, 0), (0, 0), (1, 0) symmetric with respect to y-axis
- D) intercepts: (-1, 0), (0, 0), (1, 0) symmetric with respect to x-axis

Answer: B

Explanation: A)

- B)
- C)
 - D)



-10

-5

5

10 x




Write the standard form of the equation of the circle with radius r and center (h, k).

82) $r = \sqrt{14}$; (h, k) = (0, 10) A) $(x + 10)^2 + y^2 = 196$ C) $(x - 10)^2 + y^2 = 196$ Answer: D Explanation: A) B) C) D)

Find an equation for the line with the given properties.

83) Slope undefined	I; containing the point $\left(-\frac{5}{8}, 6\right)$			83)
A) x = 6	B) y = 6	C) y = $-\frac{5}{8}$	D) x = $-\frac{5}{8}$	
Answer: D				
Explanation:	A)			
	B)			
	C)			
	D)			

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .



Decide whether or not the points are the vertices of a right triangle.

85) (-2, 2), (0, 2), (0, 11) A) Yes Answer: A Explanation: A) B)

B) No

85)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

86)

88)

86) $y = \frac{9x}{x^2 + 81}$ A) y-axis B) x-axis C) origin D) x-axis, y-axis, origin E) none Answer: C Explanation: A) B) C) D) E)

Find the midpoint of the line segment joining the points P_1 and P_2 .

87)
$$P_1 = (4b, 6); P_2 = (5b, 9)$$

A) (9b, 15) B) (b, 3) C) $\left(\frac{9b}{2}, \frac{15}{2}\right)$ D) $\left(\frac{15b}{2}, \frac{9}{2}\right)$
Answer: C
Explanation: A)
B)
C)
D)

Find the slope and y-intercept of the line.

88)
$$7x + 4y = 11$$

A) slope = $\frac{7}{4}$; y-intercept = $-\frac{11}{4}$
B) slope = 7; y-intercept = 11
C) slope = $\frac{7}{4}$; y-intercept = $\frac{11}{4}$
D) slope = $-\frac{7}{4}$; y-intercept = $\frac{11}{4}$

Answer: D Explanation: A) B) C) D)

39

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

89)

89) $y = x^2 + 7x + 12$ A) y-axis B) origin C) x-axis D) x-axis, y-axis, origin E) none Answer: E Explanation: A) B) C) D) E)

Find the slope of the line containing the two points.

90) (9, 3); (-8, 3)	-			90)
A) -17	B) 0	C) $\frac{1}{17}$	D) undefined	
Answer: B				
Explanation:	A)			
	B)			
	C)			
	D)			

Find the slope-intercept form of the equation of the line with the given properties.

91) Slope = 0; containing the point (-8, -6)91) C) y = -6 D) x = -6A) x = -8B) y = -8Answer: C Explanation: A) B) C) D) 92)

92) x-intercept = 5; y-intercept = 8 8

A)
$$y = -\frac{8}{5}x + 8$$
 B) $y = -\frac{8}{5}x + 5$ C) $y = -\frac{5}{8}x + 5$ D) $y = \frac{8}{5}x + 8$

Answer: A

- B)
 - C)
 - D)

Find the midpoint of the line segment joining the points P1 and P2.

93) P ₁ = (4, 5); P ₂ =	(2, 9)			
A) (6, 14)		B) (3, 7)	C) (2, -4)	D) (7, 3)
Answer: B				
Explanation:	A)			
	B)			
	C)			
	D)			

93)

Solve the problem.

94) The medians of a triangle intersect at a point. The distance from the vertex to the point is exactly two-thirds of the distance from the vertex to the midpoint of the opposite side. Find the exact distance of that point from the vertex A(3, 4) of a triangle, given that the other two vertices are at (0, 0) and (8, 0).

A) 2 B) $\frac{8}{3}$ C) $\frac{\sqrt{17}}{3}$ D) $\frac{2\sqrt{17}}{3}$ Answer: D Explanation: A) B) C)

Find the slope and y-intercept of the line.

D)

95) 4x - 3y = 1A) slope $= \frac{4}{3}$; y-intercept $= \frac{1}{3}$ C) slope $= \frac{3}{4}$; y-intercept $= \frac{1}{4}$ Answer: B Explanation: A) B) C) D) B) B) C) D)

Solve the problem.

96) If a graph is symmetric with respect to the y-axis and it contains the point (5, -6), which of the following points is also on the graph?				96)
A) (5, -6)	B) (-5, 6)	C) (-6, 5)	D) (-5, -6)	
Answer: B				
Explanation:	A)			
	B)			
	C)			
	D)			

Find the equation of the line in slope-intercept form.





97)

A) Yes		B) No
Answer: B		
Explanation:	A)	
	B)	

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

99) $y = \frac{x^2 - 25}{5x^4}$		99)
A) x-axis		
B) y-axis		
C) origin		
D) x-axis, y-	axis, origin	
E) none		
Answer: B		
Explanation:	A)	
-	B)	
	C)	
	D)	
	E)	

42

Name the quadrant in which the point is located.

100) (3, -14)				100)
A)	B)	II C) III	D) IV	
Answer: D				
Explanation:	A)			
	B)			
	C)			
	D)			

Find the slope-intercept form of the equation of the line with the given properties.

Find the general form of the equation for the line with the given properties. $\frac{3}{2}$

C) D)

102) Slope = $-\frac{3}{4}$; containing the point (0, 4)					102)
A) 3x + 4y =	16	B) 4x + 3y = -16	C) 3x + 4y = -16	D) 3x - 4y = 16	
Answer: A					
Explanation:	A)				
	B)				
	C)				
	D)				
List the intercepts for the g	raph of t	he equation.			
103) y = 5x	-				103)
A) (5, 5)		B) (0, 5)	C) (0, 0)	D) (5, 0)	
Answer: C					
Explanation:	A)				
1	B)				

104)
$$y = \frac{x^2 - 36}{6x^4}$$

A) (-6, 0), (6, 0)
C) (0, 0)
Answer: A
Explanation: A)
B)
C)
D)
D)
(0, -6), (0, 0)
B)
(-36, 0), (0, 0), (36, 0)
D) (0, -6), (0, 6)
B)
C)
D)
D)

Solve the problem.

105) If (3, b) is a point on the graph of 3x - 2y = 17, what is b?

A) $\frac{11}{3}$ B) -4 C) 4 D) $\frac{23}{3}$ Answer: B Explanation: A) B) C) D)

B) slope = -3; y-intercept = -10

D) slope = $-\frac{1}{3}$; y-intercept = $-\frac{10}{3}$

Find the slope and y-intercept of the line.

106) 3x + y = -10

A) slope = 3; y-intercept = -10

C) slope =
$$-\frac{3}{10}$$
; y-intercept = $-\frac{1}{10}$
Answer: B
Explanation: A)
B)
C)
D)

Graph the line containing the point P and having slope m.

107) P = (0, 4); m =
$$\frac{1}{2}$$

106)

105)



Find the slope of the line and sketch its graph. 108) 2x + 3y = 13





Write the standard form of the equation of the circle with radius r and center (h, k).

109) r = 4; (h, k) = (0, 0) A) $(x - 4)^2 + (y - 4)^2 = 4$ C) $x^2 + y^2 = 16$ Answer: C Explanation: A) B) C) D)

Solve.

110) A school has just purchased new computer equipment for \$23,000.00. The graph shows the depreciation of the equipment over 5 years. The point (0, 23,000) represents the purchase price and the point (5, 0) represents when the equipment will be replaced. Write a linear equation in slope-intercept form that relates the value of the equipment, y, to years after purchase x. Use the equation to predict the value of the equipment after 1 years.



Solve	the	pro	bler	n.	
	111) If	(-4.	2)	is th

...

l I) If (-4, 2) is the e	ndpoint of a line segment, an	d (-9, -2) is its midpoint, fir	nd the other endpoint.	111)
A) (6, 10)	B) (-12, -8)	C) (-14, 6)	D) (-14, -6)	
Answer: D				
Explanation:	A)			
	B)			
	C)			
	D)			

Graph the equation.



Find an equation for the line with the given properties.

113) Parallel to the line x = 8; containing the point (2, 5) A) x = 2B) y = 5C) y = 8D) x = 5Answer: A Explanation: A) B) C) D)

Plot the point A. Plot the point B that has the given symmetry with point A.

114) A = (0, -4); B is symmetric to A with respect to the origin







113)



Find the slope of the line containing the two points.



Find the slope-intercept form of the equation of the line with the given properties.

117) Slope Oucopte	ining the point $(9,7)$	5 1 1		117)
117 Slope = 0; conta	(-8, 7)			11/)
A) x = 7	B) x = -8	C) y = -8	D) y = 7	
Answer: D				
Explanation:	A)			
	B)			
	C)			
	D)			

Graph the equation by plotting points.



Find the slope of the line containing the two points.

119) (-8, -4); (-8, -3))			119)
A) - 1	B) 1	C) 0	D) undefined	
Answer: D				
Explanation:	A)			
	B)			
	C)			
	D)			

Solve the problem.

120) If (-3, -2) is the endpoint of a line segment, and (-4, 1) is its midpoint, find the other endpoint.120)A) (-5, 4)B) (3, -4)C) (-5, -5)D) (-1, -8)Answer: AExplanation:A)B)C)D)

Find the midpoint of the line segment joining the points P_1 and P_2 .

121) P ₁ = (-2, -2); P ₂ =	(4, 5)			121)
A) (-6, -7)	$B\left(-3,-\frac{7}{2}\right)$	$C)\left(1,\frac{3}{2}\right)$	D) (2, 3)	
Answer: C				
Explanation: A)			
В)			
С	()			
D)			
C	/)))			
e whether the pair of line	es is parallel, perpendicula	r. or neither.		

122) 9x + 3y = 12				122)
27x + 9y = 38 A) parallel		B) perpendicular	C) neither	
Answer: A				
Explanation:	A)			
	B)			
	C)			

List the intercepts of the graph.Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.





Give the coordinates of the points shown on the graph. 127)



Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

127)

128)

128) $y = 2x^2 - 4$ A) x-axis B) y-axis C) origin D) x-axis, y-axis, origin E) none Answer: B Explanation: A) B) C) D) E)

Graph the circle with radius r and center (h, k).



Graph the equation by plotting points.





List the intercepts of the graph. 131)



B) $\left[-\frac{\pi}{2}, 0 \right]$, (0, 3), $\left[\frac{\pi}{2}, 0 \right]$ D) $\left[-\frac{\pi}{2}, 0 \right]$, (3, 0), $\left[\frac{\pi}{2}, 0 \right]$

List the intercepts for the graph of the equation.

B) (0, -2), (0, -7), (14, 0)
D) (-2, 0), (-7, 0), (0, 14)

Write the standard form of the equation of the circle with radius r and center (h, k).

133) r = 2; (h, k) = (-4, 1)	
A) $(x + 4)^2 + (y - 1)^2 = 4$	B) $(x - 4)^2 + (y + 1)^2 = 4$
C) $(x - 4)^2 + (y + 1)^2 = 2$	D) $(x + 4)^2 + (y - 1)^2 = 2$
Answer: A	
Explanation: A)	
B)	
C)	
D)	

132)

Find the slope and y-intercept of the line.

134) y = -4xA) slope = $-\frac{1}{4}$; y-intercept = 0 C) slope = 4; y-intercept = 0 Answer: D Explanation: A) B) C) D)

Find the center (h, k) and radius r of the circle with the given equation.

135) $x^2 + y^2 - 18x + 12y + 117 = 4$	
A) (h, k) = (-9, 6); $r = 4$	B) (h, k) = (6, -9); r = 4
C) (h, k) = (9, -6); r = 2	D) (h, k) = (-6, 9); r = 2
Answer: C	
Explanation: A)	
B)	
C)	
D)	

Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies.

136) (-4, -1)



136)







List the intercepts of the graph.Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.



Solve the problem.

139) Earth is represented on a map of the solar system so that its surface is a circle with the equation

139)

140)

 $x^{2} + y^{2} + 8x + 4y - 4205 = 0$. A weather satellite circles 0.5 units above the Earth with the center of its circular orbit at the center of the Earth. Find the general form of the equation for the orbit of the satellite on this map. A) $x^{2} + y^{2} + 8x + 4y - 44.75 = 0$ B) $x^{2} + y^{2} - 8x - 4y - 4270.25 = 0$

A) $x^{2} + y^{2} + 8x + 4y - 44.75 = 0$ C) $x^{2} + y^{2} + 8x + 4y + 19.75 = 0$ Answer: D Explanation: A) B) C) D)

Find an equation for the line with the given properties.

140) Parallel to the line 5x + 3y = 14; containing the point (4, -6)

A) 3x + 5y = -6 B) 5x - 3y = 2 C) 4x + 3y = 14 D) 5x + 3y = 2Answer: D Explanation: A) B) C) D)

Graph the equation by plotting points.







Find an equation for the line with the given properties.

144) Perpendicular to the line -3x - y = 6; containing the point (0, -2)A) $y = \frac{1}{3}x - 2$ B) $y = -\frac{1}{3}x - 2$ C) $y = \frac{1}{3}x + 6$ D) $y = -\frac{5}{3}$ Answer: A Explanation: A) B) C) D) Find the center (h, k) and radius r of the circle with the given equation.

145) $(x + 7)^2 + y^2 = 9$ 145) A) (h, k) = (-7, 0); r = 9B) (h, k) = (-7, 0); r = 3C) (h, k) = (0, -7); r = 3D) (h, k) = (0, -7); r = 9 Answer: B Explanation: A) B) C) D) Determine whether the given point is on the graph of the equation. 146) Equation: $x^2 + y^2 = 36$ 146) Point: (6, 6) A) No B) Yes Answer: A Explanation: A) B) Find an equation for the line with the given properties. 147) Perpendicular to the line x = -9; containing the point (1,8) 147) A) x = 8 B) y = 8 D) y = 1 C) x = 1 Answer: B Explanation: A) B) C) D) Graph the circle with radius r and center (h, k). 148) 148) r = 3; (h, k) = (0, 0) -11111 -5 -10



Find the center (h, k) and radius r of the circle with the given equation.

 149) $x^2 + y^2 - 4x + 8y = 29$

 A) (h, k) = (2, -4); r = 7

 B) (h, k) = (4, -2); r = 49

 C) (h, k) = (-4, 2); r = 7

 D) (h, k) = (-2, 4); r = 49

 Answer: A

 Explanation:

 B)

 C)

 D)

Solve the problem.

150) If a circle of radius 5 is made to roll along the x-axis, what is the equation for the path of the center of the circle?

A) y = 0Answer: C Explanation: A) B) C) D) B) C) D)

Find the midpoint of the line segment joining the points P1 and P2.

151) P ₁ = (a, 1); P ₂ = (0, 2)				151)
A) $\left(\frac{a}{2}, \frac{3}{2}\right)$	B) $\left(-\frac{a}{2}, 1\right)$	C) $\left(a, \frac{3}{2}\right)$	D) (a, 3)	
Answer: A				
Explanation: A)				
B)				
C)				
D)				

Solve the problem.

152) A rectangular city park has a jogging loop that goes along a length, width, and diagonal of the park. To the nearest yard, find the length of the jogging loop, if the length of the park is 125 yards and its width is 75 yards.

153)

A) 145 yards		B) 346 yards	C) 146 yards	D) 345 yards
Answer: B				
Explanation:	A)			
	B)			
	C)			
	D)			

Find the general form of the equation of the the circle.

153) Center at the point (2, -3); containing the point (5, -3)

A) $x^{2} + y^{2} - 4x + 6y + 4 = 0$ C) $x^{2} + y^{2} + 4x - 6y + 4 = 0$ Answer: A Explanation: A) B) C) D)

Graph the line containing the point P and having slope m.



Graph the equation by plotting points.



Find the slope and y-intercept of the line.

156) x + 14y = 1156) A) slope = 1; y-intercept = 1 B) slope = -14; y-intercept = 14C) slope = $\frac{1}{14}$; y-intercept = $\frac{1}{14}$ D) slope = $-\frac{1}{14}$; y-intercept = $\frac{1}{14}$ Answer: D **Explanation**: A) B) C) D) Find an equation for the line, in the indicated form, with the given properties. 157) Containing the points (6, -6) and (7, 3); slope-intercept form 157) B) y = -9x - 60C) y + 6 = 9(x - 6) D) y = 9x - 60A) y = mx - 60Answer: D **Explanation**: A) B) C) D) Find the midpoint of the line segment joining the points P₁ and P₂. 158) P₁ = (7, 1); P₂ = (-16, -16) 158) B) $\left(-\frac{9}{2}, -\frac{15}{2}\right)$ C) $\left(-9, -15\right)$ D) $\left(9, 15\right)$ A) $\left(\frac{23}{2}, \frac{17}{2}\right)$ Answer: B **Explanation**: A) B) C) D) Name the quadrant in which the point is located. 159) (19, 4) 159) A) | B) II C) III D) IV Answer: A Explanation: A) B) C) D)

Solve the problem.

100) II (-10, 6) IS the	enupoint of a fine segment, and	(-0, 5) is its initipolitit, in	la the other enapoint.	100)
A) (-2,2)	B) (-16, 16)	C) (-18, 14)	D) (-2, 11)	
Answer: A				
Explanation:	A)			
	B)			
	C)			
	D)			
	2)			
nd an equation for the li	ne with the given properties.			
161) Clans undefined, containing the point $(2 - 5)$				161)

161) Slope undefined; containing the point (2, -5) 161) A) x = -5 C) y = -5 D) x = 2 B) y = 2 Answer: D Explanation: A) B) C) D)

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .



C) 3√5

D) 27√3

162)



D)


Solve.

164) A faucet is used to add water to a large bottle that already contained some water. After it has been filling for 3 seconds, the gauge on the bottle indicates that it contains 9 ounces of water. After it has been filling for 10 seconds, the gauge indicates the bottle contains 23 ounces of water. Let y be the amount of water in the bottle x seconds after the faucet was turned on. Write a linear equation that relates the amount of water in the bottle, y, to the time x.

A) y = -2x +	15	B) y = 2x + 3	C) $y = 2x + 13$	D) $y = \frac{1}{2}x + \frac{15}{2}$
Answer: B				
Explanation:	A)			
	B)			
	C)			
	D)			

List the intercepts for the graph of the equation.

164)

166)
$$y^2 = x + 36$$
 B) $(6, 0), (0, 36), (0, -36)$

 A) $(0, -6), (36, 0), (0, 6)$
 B) $(6, 0), (0, 36), (0, -36)$

 C) $(0, -6), (-36, 0), (0, 6)$
 D) $(-6, 0), (0, -36), (6, 0)$

 Answer: C
 Explanation: A)

 B)
 C)

 D)
 D)

List the intercepts and type(s) of symmetry, if x^{3}

167)
$$y = \frac{-x^3}{x^2 - 6}$$

A) intercepts: $(\sqrt{6}, 0), (-\sqrt{6}, 0), (0, 0)$
symmetric with respect to origin
C) intercept: $(0, 0)$
symmetric with respect to y-axis
Answer: B
Explanation: A)
B)
C)
D)

167)

166)

B) intercept: (0, 0) symmetric with respect to originD) intercept: (0, 0)

symmetric with respect to x-axis

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

168) $16x^2 + y^2 = 16$ A) x-axis B) origin C) y-axis D) x-axis, y-axis, origin E) none Answer: D Explanation: A) B) C) D) E)

Solve.

169) An investment is worth \$2629 in 1991. By 1995 it has grown to \$4121. Let y be the value of the investment in the year x, where x = 0 represents 1991. Write a linear equation that relates the value of the investment, y, to the year x.

A) y = -373x + 2629	B) y = -373x + 5613
C) y = 373x + 2629	D) $y = \frac{1}{373}x + 2629$
Answer: C	
Explanation: A)	
B)	
C)	
D)	

Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies. 170) (0, -3)







169)





Give the coordinates of the points shown on the graph. 171)



A)
$$E = (-6, -4), F = (3, -4)$$

C) $E = (-6, -4), F = (-6, 3)$

Answer: B

Explanation: A) B) C)

D)

171)

 $B) \ E = (-6, 3), \ F = (-6, -4) \\ D) \ E = (3, -6), \ F = (-4, -6) \\$

List the inte nte for th h of th <u>.</u>

List the intercepts for the g	raph of the equation.			172
1/2) y = x ² + 1				172)
A) (1, 0)		B) (1, 0), (0, -1), (0, 1)		
C) (0, 1)		D) (0, 1), (-1, 0), (1, 0)		
Answer: C				
Explanation:	A)			
	B)			
	C)			
	D)			
Write the standard form of	the equation of the circle with	n radius r and center (h, k).		
173) r = 4; (h, k) = (4	, 0)			173)
A) x ² + (y - 4	$(1)^2 = 4$	B) $x^2 + (y + 4)^2 = 4$		
C) (x - 4) ² + 2	y ² = 16	D) $(x + 4)^2 + y^2 = 16$		
Answer: C				
Explanation:	A)			
I	B)			
	C)			
	D)			
Find an equation for the lir 174) Containing the p A) 13x - 5y = C) -12x + 6y Answer: B Explanation:	ne, in the indicated form, with points (-6, 6) and (-1, -7); ger 48 = -54 A) B) C) D)	the given properties. heral form B) -13x - 5y = 48 D) 12x - 6y = -54		174)
Solve the problem. 175) If (a, 3) is a poin A) -1 Answer: D Explanation:	t on the graph of y = 2x - 5, wh B) -4 A) B) C)	nat is a? C) 1	D) 4	175)
	D)			

Draw a complete graph so that it has the given type of symmetry.









Answer: D Explanation:



A)

176)

78

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .



177)

178)

Solve.

178) Each day the commuter train transports x passengers to or from the city at \$1.75/passenger. The daily fixed cost for running the train is \$1200. Write an equation that relates the daily profit, P, in dollars to the number of passengers each day. Then use the equation to find the daily profit when the train has 920 passengers in a day.

B) P = 1.75x + 1200; \$2810

D) P = 1.75x; \$1610

A) P = 1.75x - 1200; \$410

C) P = 1200 - 1.75x; \$410

Answer: A

Explanation: A) B) C) D)

Solve the problem.

179) A power outage affected all homes and businesses within a 19 mi radius of the power station. If 179) the power station is located 10 mi north of the center of town, find an equation of the circle consisting of the furthest points from the station affected by the power outage.

B) $x^2 + y^2 = 361$		
D) $x^2 + (y - 10)^2 = 19$		

180) Find the standard form of the equation of the circle. Assume that the center has integer coordinates and the radius is an integer.



Find the slope-intercept form of the equation of the line with the given properties.

181) Horizontal; cont	aining the point (-8, 10)	0 1 1		181)
A) y = 10	B) x = -8	C) y = -8	D) x = 10	
Answer: A				
Explanation:	A)			
	B)			
	C)			
	D)			

Find an equation for the line with the given properties.

182) Parallel to the line x - 3y = 6; containing the point (0, 0)

A) $y = -\frac{5}{3}$	B) $y = \frac{1}{3}x + 6$	$C) y = -\frac{1}{3}x$	D) $y = \frac{1}{3}x$

Answer: D

Explanation:	A)
	B)
	C)
	D)

180)

List the intercepts of the graph. 183)



B) (0, -1)

A) (0, 0) Answer: B Explanation: A) B) C) D)





C) (-1, -1)

D) (-1,0)

184)



81





List the intercepts of the graph. 185)





A) (-2, 0), (2, 0) C) (-2, 0), (0, 4), (2, 0) Answer: D Explanation: A) B) C) D)

185)

B) (-2, 0), (0, 2), (2, 0) D) (-4, 0), (0, 4), (4, 0) Find an equation for the line with the given properties.

186) Perpendicular to the line 8x + 9y = 84; containing the point (6, 1) 186) C) 8x - 9y = 46 A) 9x + 8y = 84B) 9x + 8y = 46D) 9x - 8y = 46 Answer: D Explanation: A) B) C) D) 187) 187) Parallel to the line -2x - y = 2; containing the point (0, 0) B) $y = \frac{1}{2}x$ C) $y = \frac{1}{2}x + 2$ D) $y = -\frac{1}{2}x$ A) y = -2xAnswer: A Explanation: A) B) C) D) List the intercepts and type(s) of symmetry, if any. 188) $16x^2 + y^2 = 16$ 188) A) intercepts: (1, 0), (-1, 0), (0, 4), (0, -4) symmetric with respect to x-axis and y-axis B) intercepts: (4, 0), (-4, 0), (0, 1), (0, -1) symmetric with respect to x-axis and y-axis C) intercepts: (4, 0), (-4, 0), (0, 1), (0, -1) symmetric with respect to the origin D) intercepts: (1, 0), (-1, 0), (0, 4), (0, -4) symmetric with respect to x-axis, y-axis, and origin Answer: D **Explanation**: A) B) C) D)

List the intercepts of the graph.Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these. 189)



- C) intercepts: (-4, 0) and (4, 0)symmetric with respect to x-axis, y-axis, and origin
- D) intercepts: (0, -4) and (0, 4) symmetric with respect to x-axis, y-axis, and origin

Answer: C

Explanation: A)

> B) C)

D)

Find the center (h, k) and radius r of the circle with the given equation.

190)
$$4x^2 + 4y^2 - 12x + 16y - 5 = 0$$

A) $(h, k) = (\frac{3}{2}, -2); r = \frac{\sqrt{30}}{2}$
B) $(h, k) = (\frac{3}{2}, -2); r = \frac{3\sqrt{5}}{2}$
C) $(h, k) = (-\frac{3}{2}, 2); r = \frac{\sqrt{30}}{2}$
D) $(h, k) = (-\frac{3}{2}, 2); r = \frac{3\sqrt{5}}{2}$

Answer: A

Explanation: A) B) C) D) 189)



Answer: D	
Explanation:	A)
	B)
	C)
	D)

Graph the circle with radius r and center (h, k).



Solve the problem.

195) Find an equation in general form for the line graphed on a graphing utility.



Write the standard form of the equation of the circle.

196)



Graph the line containing the point P and having slope m.

195)



197)

88

Write the standard form of the equation of the circle with radius r and center (h, k).

B) $(x + 7)^2 + y^2 = 100$
D) $x^2 + (y + 7)^2 = 100$

Find an equation for the line with the given properties.

199) The solid line L contains the point (3, 1) and is parallel to the dotted line whose equation is y = 2x. 199) Give the equation for the line L in slope-intercept form.



Graph the equation by plotting points.



200)

89



201)

 10×10^{111}

 10×10^{11}

5

5





202) When making a telephone call using a calling card, a call lasting 5 minutes cost \$0.85. A call lasting 13 minutes cost \$1.65. Let y be the cost of making a call lasting x minutes using a calling card. Write a linear equation that relates the cost of a making a call, y, to the time x.

A) y = -0.1x + 1.35C) y = 0.1x - 11.35Answer: D Explanation: A) B) C) D) D) B) C) D)

Find an equation for the line with the given properties.

203) Perpendicular to the line $6x - 7y = 16$; containing the point (5, -2)					203)
A) 5x + 7y =	16	B) 7x + 6y = 23	C) 7x - 6y = 23	D) 6x + 7 = 6	
Answer: B					
Explanation:	A)				
	B)				
	C)				
	D)				

Give the coordinates of the points shown on the graph. 204)



A) A = (5, 1),	B = (1, 1)	B) A = (5, 1), B = (-3, 1)
C) A = (1, 26)), B = (1, -3)	D) A = (5, 1), B = (1, -3)
Answer: B		
Explanation:	A)	
	B)	
	C)	
	D)	

Find the center (h, k) and radius r of the circle with the given equation.

205) $x^2 + (y + 3)^2 = 121$ A) (h, k) = (-3, 0); r = 11 B) (h, k) = (-3, 0); r = 121C) (h, k) = (0, -3); r = 121 D) (h, k) = (0, -3); r = 11 Answer: D Explanation: A) B) C) D)

92

Graph the equation.

205)



93

Find the slope of the line containing the two points.

207) (-7,6); (2,7)			
A) $-\frac{1}{9}$	B) - 9	C) $\frac{1}{9}$	D) 9
Answer: C			
Explanation:	A)		
	B)		
	C)		
	D)		

Solve the problem.

- 208) Find the length of each side of the triangle determined by the three points P₁, P₂, and P₃. State 208) whether the triangle is an isosceles triangle, a right triangle, neither of these, or both. $P_1 = (-5, -4), P_2 = (-3, 4), P_3 = (0, -1)$
 - A) $d(P_1, P_2) = 2\sqrt{17}; \ d(P_2, P_3) = \sqrt{34}; \ d(P_1, P_3) = \sqrt{34}$ isosceles triangle B) $d(P_1, P_2) = 2\sqrt{17}; \ d(P_2, P_3) = \sqrt{34}; \ d(P_1, P_3) = 5\sqrt{2}$ right triangle C) $d(P_1, P_2) = 2\sqrt{17}; \ d(P_2, P_3) = \sqrt{34}; \ d(P_1, P_3) = \sqrt{34}$ both D) $d(P_1, P_2) = 2\sqrt{17}; \ d(P_2, P_3) = \sqrt{34}; \ d(P_1, P_3) = 5\sqrt{2}$ neither Answer: C Explanation: A)
 - B) C) D)

Draw a complete graph so that it has the given type of symmetry.



209)





,

Name the quadrant in whi 210) (-2, -19)	ch the point is located.			210)
A) I	B)	C) III	D) IV	
Answer: C				
Explanation:	A)			
	B)			
	C)			
	D)			

List the intercepts for the graph of the equation.

211) $y = \sqrt[9]{x}$					211)
A) (0, 1)		B) (0, 0)	C) (1, 0)	D) (1, 1)	
Answer: B					
Explanation:	A)				
	B)				
	C)				
	D)				

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

212) P ₁ = (0, 0); P ₂ =	(5, -7)			212)
A) 2	B) \[35	C) $\sqrt{74}$	D) 74	
Answer: C				
Explanation:	A)			
	B)			
	C)			
	D)			

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

213) $y = 9x^4 - 7x + 7$			213)
A) x-axis			
B) origin			
C) y-axis			
D) x-axis, y-	axis, origin		
E) none			
Answer: E			
Explanation:	A)		
	B)		
	C)		
	D)		
	E)		

Find the general form of the equation of the the circle.

214) Center at the point (2, 4); tangent to y-axis

A)
$$x^{2} + y^{2} + 4x + 8y + 16 = 0$$

C) $x^{2} + y^{2} - 4x - 8y + 16 = 0$
Answer: C
Explanation: A)
B)
C)
D)

Name the quadrant in which the point is located.

215) (-3, 2) A) I B) II C) III D) IV Answer: B Explanation: A) B) C) D)

Find the center (h, k) and radius r of the circle with the given equation.

216) $x^2 + y^2 = 9$ A) (h, k) = (3, 3); r = 3 C) (h, k) = (3, 3); r = 9 Answer: B Explanation: A) B) C) D)

Graph the line containing the point P and having slope m.







217)





Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin. 218) y = x + 3 218

A) origin	
B) x-axis	
C) y-axis	
D) x-axis, y-	axis, origin
E) none	
Answer: E	
Explanation:	A)
	B)
	C)
	D)

E)

Solve.

219) The relationship between Celsius (°C) and Fahrenheit (°F) degrees of measuring temperature is linear. Find an equation relating °C and °F if 10°C corresponds to 50°F and 30°C corresponds to 86°F. Use the equation to find the Celsius measure of 18° F.

A)
$$C = \frac{5}{9}F + \frac{160}{9}; \frac{250}{9} \circ C$$

C) $C = \frac{5}{9}F - 10; 0 \circ C$
Answer: D
Explanation: A)
B)
C)
D)
B) $C = \frac{5}{9}F - \frac{160}{9}; -\frac{70}{9} \circ C$

Find an equation for the line with the given properties.

220) Vertical line; cor	ntaining the point (10, -9)			220)
A) y = -9	B) y = 10	C) x = -9	D) x = 10	
Answer: D				
Explanation:	A)			
	B)			
	C)			
	D)			

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin. 221)

221) y = 3x

A) x-axis B) y-axis C) origin D) x-axis, y-axis, origin E) none Answer: C Explanation: A) B) C) D) E)

List the intercepts for the graph of the equation.

222) $y = \frac{8x}{x^2 + 64}$		222)
A) $(-64, 0), (0, 0), (64, 0)$	B) (0, 0)	
C) (-8, 0), (0, 0), (8, 0)	D) (0, -8), (0, 0), (0, 8)	
Answer: B		
Explanation: A)		
B)		
C)		
D)		

Find an equation for the line, in the indicated form, with the given properties.

223) Containing the points (7, 0) and (2, -6); general form

C) 6x + 5y = -42A) -6x + 5y = -42B) -7x - 8y = -62 D) 7x + 8y = -62Answer: A Explanation: A) B) C) D)

Solve the problem.

- 224) A power outage affected all homes and businesses within a 3 mi radius of the power station. If the 224) power station is located 3 mi west and 4 mi north of the center of town, find an equation of the circle consisting of the furthest points from the station affected by the power outage.
 - A) $(x 3)^2 + (y 4)^2 = 9$ B) $(x + 3)^2 + (y - 4)^2 = 9$ D) $(x - 3)^2 + (y + 4)^2 = 9$ C) $(x + 3)^2 + (y + 4)^2 = 9$ Answer: B Explanation: A) B) C)

Find the slope and y-intercept of the line.

225) 7x - 6y = 42A) slope = $\frac{6}{7}$; y-intercept = 6 C) slope = $-\frac{7}{6}$; y-intercept = 7 Answer: D

D)

Explanation: A) B) C) D)

List the intercepts of the graph.

226)



Explanation: A) B)

C) D)

100

C) (0, -2), (2, 0)

D) (0, -2), (0, 2)

B) slope = 7; y-intercept = 42

D) slope = $\frac{7}{6}$; y-intercept = -7

225)



Find an equation for the line with the given properties.



Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies.

229) (-1,2)





o) i = (2, 0), i Z				200)
A) 36	B) 5	C) \{97	D) \[165	_
Answer: C				
Explanation:	A)			
	B)			
	C)			
	D)			

Write the equation in slope-intercept form.

$$231) x = 6y + 5$$

$$A) y = \frac{1}{6}x - 5$$

$$B) y = \frac{1}{6}x - \frac{5}{6}$$

$$C) y = 6x - 5$$

$$D) y = x - \frac{5}{6}$$

$$Answer: B$$

$$Explanation: A)$$

$$B)$$

$$C)$$

$$D)$$
Find an equation for the line with the given properties.

232) The solid line L contains the point (4, 2) and is perpendicular to the dotted line whose equation is y = 2x. Give the equation of line L in slope-intercept form.



Answer: B Explanation: A) B) C) D)

List the intercepts for the graph of the equation.

233) $y = x^4 - 16$ A) (0, -16) C) (0, -16), (-2, 0), (2, 0) Answer: C Explanation: A) B) C) D)

B) (0, 16), (-2, 0), (2, 0) D) (0, 16)

Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.

234)

234) $x^2 + y - 64 = 0$ A) origin B) x-axis C) y-axis D) x-axis, y-axis, origin E) none Answer: C Explanation: A) B) C) D) E)

Find the slope of the line containing the two points.

235) (7, -9); (-7, 8)					235)
A) $\frac{17}{14}$		B) - <u>14</u> 17	C) $\frac{14}{17}$	D) - <u>17</u> 14	
Answer: D					
Explanation:	A)				
	B)				
	C)				
	D)				

Find the slope-intercept form of the equation of the line with the given properties.

236) Horizontal; containing the point (-7.7, 1.8)					
A) y = 0	B) y = 5.9	C) y = 1.8	D) y = -7.7		
Answer: C					
Explanation:	A)				
	B)				
	C)				
	D)				

Find the general form of the equation for the line with the given properties.

237) Slope = $\frac{3}{4}$; containing	ng (0, 4)			237)
A) -3x - 4y = 16	B) 4x - 3y = -16	C) $-3x + 4y = 16$	D) -3x + 4y = -16	
Answer: C				
Explanation: A))			
B)			
C)			
D)			

Solve the problem.

238) Find an equation of the line containing the centers of the two circles

 $\begin{array}{c} x^2 + y^2 - 2x - 10y + 25 = 0 & \text{and} \\ x^2 + y^2 + 12x - 2y + 33 = 0 \\ A) 4x - 7y + 31 = 0 & B) - 4x - 7y + 31 = 0 \\ C) 6x + 5y + 31 = 0 & D) 4x + 7y + 31 = 0 \\ Answer: A \\ Explanation: A) \\ B) \\ C) \\ D) \end{array}$

Find the slope and y-intercept of the line.

239) -5x + 7y = 1A) slope = 5; y-intercept = 13 C) slope = $\frac{13}{7}$; y-intercept = $\frac{1}{7}$ Answer: B Explanation: A) B)

Find the center (h, k) and radius r of the circle. Graph the circle.

C) D)



240)

239)



Solve the problem.

241) Find the equation of a circle in standard form that is tangent to the line $x = -3$ at (-3, 5) and also	241)
tangent to the line $x = 9$.	_

A) $(x - 3)^2 + (y - 5)^2 = 36$	B) $(x + 3)^2 + (y - 5)^2 = 36$
C) $(x + 3)^2 + (y + 5)^2 = 36$	D) $(x - 3)^2 + (y + 5)^2 = 36$
Answer: A	
Explanation: A)	
B)	

- C)
- D)

Solve.

242) Each week a soft drink machine sells x cans of soda for \$0.75/soda. The cost to the owner of the soda machine for each soda is \$0.10. The weekly fixed cost for maintaining the soda machine is \$25/week. Write an equation that relates the weekly profit, P, in dollars to the number of cans sold each week. Then use the equation to find the weekly profit when 92 cans of soda are sold in a week.














245) 5x + 8y = 5

A) $y = -\frac{5}{8}x + \frac{5}{8}$ B) $y = \frac{5}{8}x - \frac{5}{8}$ C) $y = \frac{5}{8}x + \frac{5}{8}$ D) y = 5x - 5Answer: A Explanation: A) B) C) D)

Solve the problem.

246) Find the equation of a circle in standard for	orm where C(6, -2) and D(-4, 4) are endpoints of a	246)
diameter.		
A) $(x - 1)^2 + (y - 1)^2 = 34$	B) $(x + 1)^2 + (y + 1)^2 = 136$	

C) $(x + 1)^2 + (y + 1)^2 = 34$	D) $(x - 1)^2 + (y - 1)^2 = 136$
Answer: A	
Explanation: A)	
B)	
C)	
D)	

Decide whether or not the points are the vertices of a right triangle.

247) (4, 8), (6, 12), (8,	11)	Ū	C
A) Yes	-		B) No
Answer: A			
Explanation:	A)		
	B)		

247)

Plot the point in the xy-plane. Tell in which quadrant or on what axis the point lies. 248) (5, 2)





Quadrant IV







Answer: D

- Explanation: A)
 - B)
 - C)
 - D)





Solve the problem.

249) A motorcycle and a car leave an intersection at the same time. The motorcycle heads north at an average speed of 20 miles per hour, while the car heads east at an average speed of 48 miles per hour. Find an expression for their distance apart in miles at the end of t hours.

A) 52t miles B) $52\sqrt{t}$ miles C) $t\sqrt{68}$ miles D) $2t\sqrt{13}$ miles Answer: A Explanation: A) B) C) D)

Give the coordinates of the points shown on the graph.





A) G = (3, 4), H =	(2, -3)
C) G = (4, 3), H =	(2,-3)
Answer: D	

Find the distance $d(P_1, P_2)$ between the points P_1 and P_2 .

250)

B) G = (4, 2), H = (3, 2) D) G = (4, 3), H = (-3, 2) 249)

Find an equation for the line with the given properties.

253)

Find the center (h, k) and radius r of the circle with the given equation.

B) (h, k) = (6, 5); r = 16
D) (h, k) = (5, 6); r = 16

Find the general form of the equation for the line with the given properties.

254) Slope = $-\frac{3}{5}$; containin	g the point (2, 5)			254)
A) 3x + 5y = 31	B) 5x + 3y = -31	C) 3x + 5y = -31	D) 3x - 5y = 31	
Answer: A				
Explanation: A)				
B)				
C)				
D)				

Decide whether the pair of lines is parallel, perpendicular, or neither.

255) 3x - 8y = 18				255)
32x + 12y = 1				_
A) parallel		B) perpendicular	C) neither	
Answer: B				
Explanation:	A)			
	B)			
	C)			

Answer Key Testname: C1		
1) C		
2) B		
3) A		
4) D		
5) C		
6) B		
7) A		
8) A		
9) B		
10) B		
11) A		
12) B		
13) A		
14) C 15) D		
15) D 16) D		
10) D 17) D		
18) A		
19) D		
20) B		
21) B		
22) A		
23) D		
24) C		
25) C		
26) E		
27) D		
28) C		
29) D		
30) D 31) P		
31) D 32) B		
32) B		
34) B		
35) C		
36) B		
37) D		
38) A		
39) C		
40) C		
41) D		
42) C		

Answer Key		
Testname: C1		
(13) B		
43) D		
45) B		
46) C		
47) D		
48) C		
49) B		
50) D		
51) D		
52) D		
53) D		
54) A		
55) A		
56) C		
57) B		
58) A		
59) D		
60) B		
61) A		
62) C		
03) D 64) P		
04) B 65) B		
66) A		
67) R		
68) A		
69) C		
70) B		
71) C		
72) A		
73) A		
74) B		
75) D		
76) D		
77) A		
78) B		
(7) D 20) D		
007 D 81) D		
82) D		
83) D		
84) C		
0.,0		

Answer Key		
Testname: C1		
85) A		
86) C		
87) C		
88) D		
89) E		
90) B		
91) C		
92) A		
93) B		
94) D		
95) B		
96) B		
97) B		
98) B		
99) B		
100) D		
101) B		
102) A		
103) C		
104) A		
105) B		
106) B		
107) B		
108) D		
109) C		
110) C		
111) D		
112) B		
113) A		
114) C		
115) D		
116) C		
117) D		
118) D		
119) D		
120) A		
121) C		
122) A		
123) A		
124) B		
125) A		
126) C		

А	nswer Key		
1	estname: CI		
	127) B		
	128) B		
	129) C		
	130) C		
	131) B		
	132) D		
	133) A		
	134) D		
	135) C		
	136) A		
	137) D		
	138) D		
	139) D		
	140) D		
	141) A		
	142) D		
	143) C		
	144) A		
	145) B		
	146) A		
	147) B		
	148) C		
	149) A 150) C		
	150) C		
	151) A 152) B		
	152) Δ		
	154) A		
	155) D		
	156) D		
	157) D		
	158) B		
	159) A		
	160) A		
	161) D		
	162) C		
	163) A		
	164) B		
	165) A		
	166) C		
	167) B		
	168) D		

Answer Key		
Testname: C1		
169) C		
170) A		
171) B		
172) C		
173) C		
174) B		
175) D		
176) D		
177) D		
178) A		
179) A		
180) B		
181) A		
182) D		
183) B		
184) C		
185) D		
186) D		
187) A		
188) D		
189) C		
190) A		
191) B		
192) A		
193) B		
194) C		
195) C		
196) D		
197) B		
198) D		
199) D		
200) B		
201) D		
202) D		
203) B		
204) B		
205) D 206) C		
200) C		
207) C		
200) C 200) P		
209) D 210) C		
210) C		

Answer Key	
Testname: CI	
211) B	
212) C	
213) E	
214) C	
215) B	
216) B	
217) A	
218) E	
219) D	
220) D	
221) C	
222) B	
223) A	
224) B	
225) D	
226) A	
227) D	
228) A	
229) A	
230) C	
231) B	
232) B	
233) C	
234) C	
235) D	
236) C	
237) C	
238) A	
239) B	
240) B	
241) A	
242) A	
243) A	
244) C	
245) A	
246) A	
247) A	
248) D	
249) A	
250) D	
(251) A	
252) C	
	118

Answer Key Testname: C1

> 253) C 254) A 255) B